



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Craig W. Butler, Director

JUN 23 2015

ORDERED DIRECTOR'S JOURNAL

JUN 23 2015

Mr. Peter Lucas, P.E.  
District Engineer  
Waste Management, Inc.  
2460 S. Gettysburg Avenue  
Dayton, Ohio 45418

Re: Pinnacle Road RDF  
Director's Authorization  
Approval  
Municipal Solid Waste Landfill  
Montgomery County  
MSWL019951

**Subject: Pinnacle Road RDF, Montgomery County  
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Mr. Lucas:

On May 22, 2015, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Southwest District Office (SWDO) received a document titled, "2015 First Semiannual Detection Ground-Water Results and Statistical Analyses, Pinnacle Road Recycling and Disposal Facility," dated May 19, 2015, for Pinnacle Road Landfill (Facility) located in Montgomery County. This document was prepared by Eagon & Associates Inc. on behalf of Waste Management, Inc., and contains the ground water sampling results and the statistical analysis from the March 10, 2015 ground water sampling event at the Facility. Verification sampling was performed on April 9, 2015.

The analysis of the ground water detection monitoring data included in the document indicates that the following statistically significant change was detected: chloride in monitoring well MW-11TS.

Pursuant to OAC rule 3745-27-10(D)(7)(c)(ii), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA. If the owner or operator does not obtain approval to continue detection monitoring not later than two hundred ten (210) days from initial sampling, the owner or operator is required to comply with the provisions of OAC rule 3745-27-10(E) for ground water quality assessment monitoring.

As demonstrated in the May 19, 2015 document, the statistically significant change for chloride at monitoring well MW-11TS was due to a source other than the landfill, and

not as a result of impact from the landfill. Monitoring well MW-11TS was initially sampled on March 10, 2015.

Ohio EPA has reviewed the applicable information and concurs with the demonstration included in the May 19, 2015 document. Therefore, pursuant to OAC rule 3745-27-10(D)(7)(c)(ii), the owner or operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring well MW-11TS.

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into assessment monitoring in accordance with OAC rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program.

You are hereby notified that this action of the Director of Environmental Protection (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High St., 17th Floor  
Columbus, Ohio 43215

If you have any questions concerning this action, please contact Jill Olberding, DMWM, SWDO at (937) 285-6094.

Sincerely,



Bonnie Buthker, Chief  
Southwest District Office  
for Craig W. Butler, Director

ec: Michelle Ackenhausen, DMWM, SWDO  
Paul Stuart, Public Health, Dayton and Montgomery County