



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Ohio E.P.A.  
Craig W. Butler, Director

OCT -8 2015

ENTERED DIRECTOR'S JOURNAL

OCT 08 2015

Mr. Randy Traub  
County Environmental of Wyandot  
11164 County Highway 4  
Carey, Ohio 43316

Re: County Environmental of Wyandot  
Director's Authorization  
Approval  
Municipal Solid Waste Landfills  
Wyandot County  
MSWL018797

**Subject: County Environmental of Wyandot, Wyandot County  
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Mr. Traub:

On August 24, 2015, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Northwest District Office (NWDO) received a document titled "*County Environmental Landfill of Wyandot 2015 First Semiannual Event Alternate Source Demonstration for Barium, Chromium, and Potassium at well RW-11 and Barium and Chloride at well RW-12; Request for Director's Approval According to OAC 3745-27-10(D)(7)(c)(ii)*," dated August 21, 2015, for County Environmental of Wyandot (Facility) located in Wyandot County. This document was submitted by the owner/operator and contains the ground water sampling results and the statistical analysis from the May 5, 2015, sampling event at the Facility.

According to the document, analysis of the ground water detection monitoring data indicated that the following statistically significant increases were detected: barium, chromium, and potassium at well RW-11 and barium and chloride at well RW-12.

Pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA. If the owner or operator does not obtain approval to continue detection monitoring not later than two hundred ten (210) days from initial sampling, the owner or operator is required to comply with the provisions of OAC Rule 3745-27-10(E) for ground water quality assessment monitoring.

Mr. Randy Traub  
Page 2

The August 24, 2015, document concluded that the statistically significant increases for barium, chromium, and potassium at well RW-11 and barium and chloride at well RW-12 were due to natural variation in ground water quality, and not as a result of impact from the landfill. Monitoring wells RW-11 and RW-12 were initially sampled on May 5, 2015.

Ohio EPA has reviewed the applicable information and concurs with the demonstration included in the August 24, 2015, document. Therefore, pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring wells RW-11 and RW-12.

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into assessment monitoring in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program.

You are hereby notified that this action of the Director of Environmental Protection (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High St., 17<sup>th</sup> Floor  
Columbus, Ohio 43215

A detailed account of Ohio EPA's review of the ground water demonstration will be sent to you under separate cover.

Mr. Randy Traub  
Page 3

If you have any questions concerning this action, please contact Susan Hardy, DMWM,  
NWDO at 419-373-3043.

Sincerely,



Shannon Nabors, Chief  
Northwest District Office  
for Craig W. Butler, Director

/lr

pc: Tom Jenkins, Eagon & Associates, Inc.  
Jeff Richey, Wyandot County Health Department  
Joe Montello, Republic Services  
Jim Adams, Republic Services  
Mike Reiser, DMWM, NWDO  
Mike Beal, DDAGW, NWDO

Id: 5-14643