



Modified Ohio Hazardous Waste Facility Installation and Operation Permit

Division of Materials and Waste Management

Permittee: Wright-Patterson Air Force Base U.S. EPA ID: OH7571724312

Facility Name: Wright-Patterson Air Force Base

Mailing Address: 1450 Littrell Road

City: WPAFB State: OH Zip: 45433

Operator Name: United States Air Force

Mailing Address: 1450 Littrell Road

City: WPAFB State: OH Zip: 45433

Facility Street Address: 1450 Littrell Road

City: WPAFB State: OH Zip: 45433

Permit Modification

This Modified Ohio Hazardous Waste Facility Installation and Operation Permit is issued pursuant and subject to Section 3734.05(I) of the Ohio Revised Code and Rule 3745-50-51(D) of the Ohio Administrative Code.

The Ohio Hazardous Waste Facility Installation and Operation Permit for the facility with the above-referenced ID number as issued by the Ohio Environmental Protection Agency and journalized on June 27, 2011, is hereby incorporated by reference in its entirety, except as it may be modified herein. This modification of the permit shall remain in effect until such time as the Ohio Hazardous Waste Facility Installation and Operation Permit is renewed, modified, withdrawn, suspended, or revoked.

The Permittee shall comply with all requirements of the modified permit application as amended or supplemented on June 15, 2015. The information contained in the modified permit application is incorporated herein by reference. Specifically, all written statements regarding the specifications, locations, or capabilities of the processes, equipment, containment devices, safety devices or programs, or other matters made by the applicant in the permit modification application are hereby incorporated as express, binding terms and conditions of this modified permit.

The modified Terms and Conditions of this permit are attached hereto and are incorporated herein by reference. The modified Terms and Conditions supersede and replace the corresponding pages found in the June 27, 2011 renewal permit.

Permit Modification Approval

Craig W. Butler, Director
Ohio Environmental Protection Agency

Entered into the Journal of the Director on:

September 15, 2015

Date:

I certify this to be a true and accurate copy of the official documents as filed in the records of the Ohio Environmental Protection Agency.

By: Donna Cassel Date: 6-27-11

OHIO E.P.A.

JUN 27 2011

ENTERED DIRECTOR'S JOURNAL

OHIO ENVIRONMENTAL PROTECTION AGENCY

**OHIO HAZARDOUS WASTE FACILITY
INSTALLATION AND OPERATION PERMIT RENEWAL**

Permittee: Wright-Patterson Air Force Base

Mailing
Address: 1450 Littrell Road
WPAFB, Ohio 45433

Owner: United States Air Force
1450 Littrell Road
WPAFB, Ohio 45433

Operator: United States Air Force
1450 Littrell Road
WPAFB, Ohio 45433

Location: 13th Street
WPAFB, OH 45433

Ohio Permit No.: 05-29-0475

US EPA ID No.: OH7571724312

Issue Date: June 27, 2011

Effective Date: June 27, 2011

Expiration Date: June 27, 2021

AUTHORIZED ACTIVITIES

In reference to the application of Wright-Patterson Air Force Base for an Ohio Hazardous Waste Facility Installation and Operation Renewal Permit under Ohio Revised Code (ORC) Chapter 3734 and the record in this matter, you are authorized to conduct at the above-named facility the following hazardous waste management activities:

- Storage of Hazardous Waste in Containers and Corrective Action

PERMIT APPROVAL



Scott J. Nally, Director
Ohio Environmental Protection Agency

This permit approval is based upon the record in this matter which is maintained at the offices of the Ohio Environmental Protection Agency. The Director has considered the application, accompanying information, inspection reports of the facility, a report regarding the facility's compliance or noncompliance with the terms and conditions of its permit and rules adopted by the Director under this chapter, and such other information as is relevant to the operation of the facility. The Director has determined that the facility under the existing permit has a history of compliance with ORC Chapter 3734, rules adopted under it, the existing permit, or orders entered to enforce such requirements that demonstrate sufficient reliability, expertise, and competency to operate the facility henceforth under this chapter, rules adopted under it, and the renewal permit.

Entered into the Journal of the Director this 27th day of June, 2011.

By: Donna Cassel of the Ohio Environmental Protection Agency.

MODULE A - GENERAL PERMIT CONDITIONS**A. GENERAL PERMIT CONDITIONS****A.1 Effect of Permit**

ORC Sections 3734.02 (E) and (F) and 3734.05
OAC Rule 3745-50-58(G)

- (a) Wright-Patterson Air Force Base ("Permittee") is authorized to store hazardous waste in containers in accordance with the terms and conditions of this Ohio hazardous waste permit (hereinafter "permit"), ORC Chapter 3734, all applicable Ohio hazardous waste rules, all applicable regulations promulgated under the Resource Conservation and Recovery Act (RCRA), as amended, and the permit application. The permit application, as submitted to Ohio EPA on October 4, 2010 and last updated on January 26, 2011, is hereby incorporated into this permit. In the instance of inconsistent language or discrepancies between the above, the language of the more stringent provision shall govern.
- (b) Any management of hazardous waste not authorized by this permit is prohibited, unless otherwise expressly authorized or specifically exempted by law. Issuance of this permit does not convey property rights of any sort or any exclusive privilege; nor does it authorize any injury to persons or property, or invasion of other private rights. Compliance with the terms and conditions of this permit does not obviate Permittee's obligation to comply with other applicable provisions of law governing protection of public health or the environment including but not limited to the Community Right to Know law under ORC Chapter 3750.

A.2 Permit Actions

OAC Rule 3745-50-58(F)

This permit may be modified or revoked as specified by Ohio law. The filing of a request by the Permittee for a permit modification, or the notification of planned changes or anticipated noncompliance on the part of the Permittee, does not stay any permit term or condition.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

A.3 Permit Effective/Expiration Date
OAC Rule 3745-50-54

The effective date of this permit is the date the permit is entered into the Director's Journal. The permit expiration date is ten years after the date of journalization of this permit.

A.4 Severability

The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

A.5 Duty to Comply
OAC Rule 3745-50-58(A)

The Permittee must comply with all applicable provisions of ORC Chapter 3734, all applicable Ohio hazardous waste rules, and all terms and conditions of this permit, except to the extent and for the duration such noncompliance is authorized by the laws of the State of Ohio. Any permit noncompliance, other than noncompliance authorized by the laws of the State of Ohio, constitutes a violation of ORC Chapter 3734 and is grounds for enforcement action, revocation, modification, denial of a permit renewal application or other appropriate action.

A.6 Duty to Reapply and Permit Expiration
OAC Rules 3745-50-40(D), 3745-50-58(B), 3745-50-56 and ORC Section 3734.05(H)

- (a) If the Permittee wishes to continue an activity allowed by this permit after the expiration date of this permit, the Permittee must submit a completed permit application for a hazardous waste facility installation and operation permit renewal and any necessary accompanying general plans, detailed plans, specifications, and such information as the Director may require, to the Director no later than one hundred eighty (180) days prior to the expiration date of this permit, unless a later submittal date has been authorized by the Director upon a showing of good cause.
- (b) The Permittee may continue to operate in accordance with the terms and conditions of the expired permit until a renewal permit is issued or denied if:

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

- (i) the Permittee has submitted a timely and complete permit application for a renewal permit under OAC Rule 3745-50-40; and
 - (ii) through no fault of the Permittee, a new permit has not been issued pursuant to OAC Rule 3745-50-40 on or before the expiration date of this permit.
- (c) The Corrective Action obligations contained in this permit will continue regardless of whether the facility continues to operate or ceases operation and closes. The Permittee is obligated to complete facility-wide Corrective Action under the conditions of this permit regardless of the operational status of the facility. The Permittee must submit an application for permit renewal at least 180 days before the expiration date of this permit pursuant to OAC Rule 3745-50-40(D) unless a) the permit has been modified to terminate the Corrective Action schedule of compliance and the Permittee has been released from the requirements for financial assurance for Corrective Action; or b) a later submittal date has been authorized by the Director.

A.7 Need to Halt or Reduce Activity Not a Defense
OAC Rule 3745-50-58(C)

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce a permitted activity in order to maintain compliance with the conditions of this permit.

A.8 Duty to Mitigate
OAC Rule 3745-50-58(D)

The Permittee must take all reasonable steps to minimize releases to the environment and must carry out such measures as are reasonable to prevent significant adverse impact on human health or the environment resulting from noncompliance with this permit.

A.9 Proper Operation and Maintenance
OAC Rule 3745-50-58(E)

The Permittee must at all times properly operate and maintain the facility (and related appurtenances) to achieve compliance with the terms and conditions of this permit. Proper operation and maintenance includes effective management practices, adequate funding, adequate operator staffing and training, and where

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

appropriate, adequate laboratory and process controls, including appropriate quality assurance/quality control procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the terms and conditions of this permit.

A.10 Duty to Provide Information
OAC Rule 3745-50-58(H)

The Permittee must furnish to the Director, within a reasonable time, any relevant information which the Director may request to determine whether cause exists for modifying or revoking, or to determine compliance with, this permit. The Permittee must also furnish to the Director, upon request, copies of records required to be kept by this permit.

A.11 Inspection and Entry
OAC Rules 3745-50-58(I) and 3745-50-30, and ORC Section 3734.07

- (a) The Permittee must allow the Director, or an authorized representative, upon stating the purpose and necessity of the inspection and upon proper identification, to:
 - (i) enter at reasonable times upon the Permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the terms and conditions of this permit;
 - (ii) have access to and copy, at reasonable times, any records required to be kept under the terms and conditions of this permit;
 - (iii) inspect and photograph at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under the terms and conditions of this permit; and
 - (iv) sample, document, or monitor, at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by ORC Chapter 3734 and the rules adopted thereunder, any substances or parameter at any location.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

- (b) Any record, report or other information obtained under the hazardous waste rules or Chapter 3734 of the Revised Code shall not be available to the public upon the Permittee's satisfactory showing to Ohio EPA that all or part of the information would divulge methods or processes entitled to protection as trade secrets pursuant to Ohio Trade Secret Law and OAC Rule 3745-50-30.

A.12 Monitoring and Records
OAC Rule 3745-50-58(J)

- (a) Any sample and measurement taken for the purpose of monitoring must be representative of the monitored activity. Further, a sample must be a representative sample, as such term is defined and used in the Ohio hazardous waste rules. The method used to obtain a representative sample of the waste to be analyzed must be the appropriate method from Appendix I of OAC Rule 3745-51-20, Laboratory Methods. Laboratory methods must be those specified in Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods, EPA Publication SW-846, Third Edition (November 1986), as amended by Updates I (dated July 1992), II (dated September 1994), IIA (dated August 1993), IIB (dated January 1995), III (dated December 1996) and IIIA (dated April 1998), and additional supplements or editions thereof; Standard Methods for the Examination of Water and Wastewater: Twentieth Edition, 1999; or an equivalent method as specified in the approved waste analysis plan, or as this term is defined and used in the Ohio hazardous waste rules.
- (b) Records of monitoring information must specify the:
 - (i) date(s), exact place(s), and time(s) of sampling or measurements;
 - (ii) individual(s) who performed the sampling or measurements;
 - (iii) date(s) analyses were performed;
 - (iv) individual(s) who performed the analyses;
 - (v) analytical technique(s) or method(s) used; and
 - (vi) results of such analyses.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

A.13 Signatory Requirement and Certification of Records
OAC Rules 3745-50-58(K) and 3745-50-42

All applications, reports or information must be properly signed and certified in accordance with OAC Rule 3745-50-58(K).

A.14 Retention of Records and Information Repository
OAC Rules 3745-50-40(G), 3745-50-58(J), 3745-50-58(M) and 3745-50-58(N)

- (a) The Permittee must retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports and records required by this permit, the certification required by OAC Rule 3745-54-73(B)(9), and records of all data used to complete the application for this permit, for a period of at least three (3) years from the date of the sample, measurement, report, certification, or application.
- (b) The record retention period may be extended by request of the Director at any time and is automatically extended during the course of any unresolved enforcement action regarding the facility.
- (c) The Permittee must maintain, in accordance with the Ohio hazardous waste rules, records of all data used to complete the permit application and any amendments, supplements or modifications of such application. The Permittee must retain a complete copy of the current application for the effective life of the permit as indicated in Permit Condition A.3..
- (d) The Permittee must maintain records from all ground water monitoring wells and associated ground water surface elevations for the active life of the facility and for disposal facilities for the post-closure care period as well.
- (e) Corrective Action records must be maintained at least three (3) years after all Corrective Action activities have been completed.

A.15 Planned Changes
OAC Rules 3745-50-51 and 3745-50-58(L)(1)

The Permittee must give notice to the Director as soon as possible of any planned physical alterations or additions to the facility. All such changes must be made in accordance with OAC Rule 3745-50-51.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT

A.16 Waste Shipments

OAC Rule 3745-53-11, ORC Section 3734.15(C)

The Permittee must only use properly registered transporters of hazardous waste to remove hazardous waste from the facility, in accordance with all applicable laws and rules.

A.17 Anticipated Noncompliance

OAC Rule 3745-50-58(L)(2)

The Permittee must give advance notice to the Director of any planned changes in the permitted facility or operations which may result in noncompliance with the terms and conditions of this permit. Such notification does not waive the Permittee's duty to comply with this permit pursuant to Permit Condition A.5.

A.18 Transfer of Permits

OAC Rules 3745-50-52, 3745-50-58(L)(3) and 3745-54-12

- (a) The permit may be transferred to a new owner or operator only if such transfer is conducted in accordance with ORC Chapter 3734 and the rules adopted thereunder. This permit may be transferred by the Permittee to a new owner or operator only if the permit has been modified under OAC Rule 3745-50-51. Before transferring ownership or operation of the facility, the Permittee must notify the new owner or operator in writing of the requirements of ORC Chapter 3734 and the rules adopted thereunder (including all applicable Corrective Action requirements).
- (b) The Permittee's failure to notify the new owner or operator of the requirements of the applicable Ohio law or hazardous waste rules does not relieve the new owner or operator of its obligation to comply with all applicable requirements.

A.19 Compliance Reports

OAC Rules 3745-50-58(L)(5) and 3745-50-50

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule (developed in accordance with OAC Rule 3745-50-50) of this permit must be submitted to the Director no later than fourteen (14) days following each scheduled date.

A.20 Immediate Reporting of Noncompliance
OAC Rule 3745-50-58(L)(6)

- (a) The Permittee must report orally to Ohio EPA's Division of Emergency and Remedial Response within twenty-four (24) hours from the time the Permittee becomes aware of any noncompliance with this permit, ORC Chapter 3734 or the rules adopted thereunder, which may endanger human health or the environment, including:
 - (i) information concerning the release of any hazardous waste that may cause an endangerment to public drinking water supplies; and
 - (ii) any information of a release or discharge of hazardous waste or a fire or explosion from the hazardous waste facility, which could threaten the environment or human health outside the facility.
- (b) The report must consist of the following information (if such information is available at the time of the oral report):
 - (i) name, address, and telephone number of the owner or operator;
 - (ii) name, address, and telephone number of the facility;
 - (iii) date, time, and type of incident;
 - (iv) name and quantity of material(s) involved;
 - (v) the extent of injuries, if any;
 - (vi) an assessment of actual or potential hazards to the environment and human health outside the facility, where this is applicable; and
 - (vii) estimated quantity and disposition of recovered material that resulted from the incident.

A.21 Follow-Up Written Report of Noncompliance
OAC Rule 3745-50-58(L)(6)(c)

- (a) A written report must also be provided to Ohio EPA's Division of Emergency and Remedial Response and the Division of Hazardous Waste Management

Southwest District Office within five (5) days of the time the Permittee becomes aware of the circumstances reported in Permit Condition A.20.

- (b) The written report must address the items in Permit Condition A.20 and must contain a description of such noncompliance and its cause; the period(s) of noncompliance (including exact dates and times); whether the noncompliance has been corrected; and, if not, the anticipated time it is expected to continue; and steps taken or planned to minimize the impact on human health and the environment and to reduce, eliminate, and prevent recurrence of the noncompliance.
- (c) The Permittee need not comply with the five (5) day written report requirement if the Director, upon good cause shown by the Permittee, waives that requirement and the Permittee submits a written report within fifteen (15) days of the time the Permittee becomes aware of the circumstances.

A.22 Other Noncompliance

OAC Rules 3745-50-58(L)(10) and 3745-50-58(L)(4)

The Permittee must report to the Director all other instances of noncompliance not provided for in Permit Conditions A.19 and A.20. These reports must be submitted within thirty (30) days of the time at which the Permittee is aware of such noncompliance. Such reports must contain all information set forth within Permit Condition A.20.

A.23 Certification of Construction or Modification

OAC Rule 3745-50-58(L)(2)

Reserved.

A.24 Other Information

OAC Rule 3745-50-58(L)(11)

If at any time the Permittee becomes aware that it failed to submit any relevant facts, or submitted incorrect information to the Director, the Permittee must promptly submit such facts, information or corrected information to the Director.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

A.25 Confidential Information
OAC Rule 3745-50-30

In accordance with ORC Chapter 3734 and the rules adopted thereunder, the Permittee may request confidentiality for any information required to be submitted by the terms and conditions of this permit, or any information obtained by the Director, or an authorized representative, pursuant to the authority provided under Permit Condition A.11.

A.26 Ohio Annual Permit, Disposal, and Treatment Fees
OAC Rules 3745-50-33 through 3745-50-36

The annual permit fee, calculated pursuant to OAC Rule 3745-50-36 and payable to the Treasurer of the State, must be submitted to the Director on or before the anniversary of the date of issuance during the term of the permit. For the purpose of the payment of the Ohio Annual Permit Fee, the date of issuance is the date the permit was entered into the Journal of the Director of Ohio EPA.

A.27 Compliance Schedule - Documents
OAC Rules 3745-50-50 and 3745-50-51

Reserved.

A.28 Information to be Maintained at the Facility
OAC Rule 3745-54-74

- (a) Unless otherwise specified by the hazardous waste rules, the Permittee must maintain at the facility, until closure is completed and certified by an independent, registered professional engineer, pursuant to OAC Rule 3745-55-15, and until the Director releases the Permittee from financial assurance requirements pursuant to OAC Rule 3745-55-43, the following documents (including amendments, revisions and modifications):
- (i) waste analysis plan, developed and maintained in accordance with OAC Rule 3745-54-13 and the terms and conditions of this permit;
 - (ii) contingency plan, developed and maintained in accordance with OAC Rule 3745-54-53 and the terms and conditions of this permit;

-
- (iii) closure plan, developed and maintained in accordance with OAC Rule 3745-55-12 and the terms and conditions of this permit;
 - (iv) cost estimate for facility closure, developed and maintained in accordance with OAC Rule 3745-55-42 and the terms and conditions of this permit;
 - (v) personnel training plan and the training records, developed and maintained in accordance with OAC Rule 3745-54-16 and the terms and conditions of this permit;
 - (vi) operating record, required by OAC Rule 3745-54-73 and the terms and conditions of this permit; and
 - (vii) inspection schedules, developed in accordance with OAC Rules 3745-54-15, 3745-55-74 and 3745-55-95 and the terms and conditions of this permit.
 - (viii) annually-adjusted cost estimate for facility closure, as required by OAC Rules 3745-55-42 and 3745-55-44 and the terms and conditions of this permit.
 - (ix) all other documents required by Module A, Permit Condition A.12 and A.28.
- (b) The Permittee must maintain copies of all inspection logs at the facility for a period not less than three (3) years from the date of inspection.

A.29 Waste Minimization Report
OAC Rules 3745-54-73 and 3745-54-75

- (a) The Permittee must submit a Waste Minimization Report describing the waste minimization program required by OAC Rules 3745-54-75(H), (I), and (J); 3745-54-73(B)(9); and 3745-52-20(A) at least once every five years. The provisions of OAC Rules 3745-54-75(H), (I) and (J); and 3745-54-73(B)(9) must be satisfied annually.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

-
- (b) The Permittee must submit the Waste Minimization Report to Ohio EPA's Office of Compliance Assistance and Pollution Prevention within one hundred eighty (180) days of the effective date of this permit, and must submit updates to this report once every five years thereafter.

MODULE B - GENERAL FACILITY CONDITIONS

B. GENERAL FACILITY CONDITIONS

B.1 Design and Operation of Facility OAC Rule 3745-54-31

- (a) The Permittee must design, construct, maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non- sudden release of hazardous waste or hazardous waste constituents to air, soil, ground water or surface waters which could threaten human health or the environment.
- (b) The Permittee shall accept from off-site sources those hazardous wastes generated in Area A of this facility and hazardous wastes generated from other Department of Defense (DoD) installations.

B.2 Required Notices OAC Rule 3745-54-12

(a) Hazardous Waste from Off-Site Sources

When the Permittee is to receive hazardous waste from an off-site source (except where the Permittee is also the generator), he must inform the generator in writing that he has the appropriate permits, and will accept the waste the generator is shipping. The Permittee must keep a copy of this written notice as part of the operating record.

(b) Hazardous Waste from Foreign Sources

The Permittee may not accept hazardous waste from a foreign source.

B.3 General Waste Analysis Plan OAC Rule 3745-54-13

- (a) Before an owner or operator treats, stores, or disposes of any hazardous wastes, or nonhazardous wastes if applicable under OAC Rule 3745-55-13(D), he must obtain a detailed chemical and physical analysis of a representative sample of the wastes. At a minimum, this analysis must contain all the information which must be known to treat, store, or dispose of

contain all the information which must be known to treat, store, or dispose of the waste in accordance with the requirements of Chapters 3745-54 to 3745-57, 3745-205, and 3745-270 of the Administrative Code.

- (b) The Permittee must follow the procedures described in the waste analysis plan found in Section C of the permit application and the terms and conditions of this permit.

B.4 Security

OAC Rule 3745-54-14

The Permittee must comply with the security provisions of OAC Rule 3745-54-14(B)(1) and (C) and Section F of the permit application.

B.5 General Inspection Requirements

OAC Rules 3745-54-15 and 3745-54-73

The Permittee must inspect the facility in accordance with OAC Rule 3745-54-15 and the inspection schedule set forth in Section F of the permit application. The Permittee must remedy any deterioration or malfunction discovered by an inspection, as required by OAC Rule 3745-54-15(C). Records of inspection must be kept for a minimum of three years from the date of inspection. These records must be a part of the facility's operating record as required by OAC Rule 3745-54-73.

B.6 Personnel Training

OAC Rule 3745-54-16

The Permittee must conduct personnel training, as required by OAC Rule 3745-54-16. This training program must contain at least the elements set forth in Section H of the permit application. The Permittee must maintain training documents and records as required by OAC Rule 3745-54-16(D) and (E).

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

B.7 General Requirements for Ignitable, Reactive, or Incompatible Wastes
OAC Rule 3745-54-17

- (a) The Permittee must comply with the requirements of OAC Rule 3745-54-17 and must follow the procedures for handling ignitable, reactive, and incompatible wastes set forth in Section D of the permit application.
- (b) The Permittee must provide electrical grounding for all containers and tanks, and transport vehicles during all operations involving the handling of ignitable or reactive wastes.
- (c) The Permittee must provide, and require the use of, spark proof tools during all operations involving the handling of all ignitable or reactive wastes.
- (d) The Permittee must prohibit smoking and open flames in each area where ignitable, reactive or incompatible hazardous wastes are managed and must post appropriate signs.

B.8 Location Standards
OAC Rule 3745-54-18

Reserved.

B.9 Required Equipment
OAC Rule 3745-54-32

At a minimum, the Permittee must maintain at the facility all the equipment required by OAC Rule 3745-54-32 and the equipment set forth in the contingency plan contained in Section G of the permit application.

B.10 Testing and Maintenance of Equipment
OAC Rule 3745-54-33

The Permittee must inspect, test and maintain the equipment required by Permit Condition B.9 as necessary to assure its proper operation in time of emergency, as

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

specified in OAC Rule 3745-54-33, Section F of the permit application and the terms and conditions of this permit.

B.11 Access to Communications or Alarm System
OAC Rule 3745-54-34

The Permittee must maintain access to the communications and alarm systems, as required by OAC Rule 3745-54-34, Section F of the permit application and the terms and conditions of this permit.

B.12 Required Aisle Space
OAC Rule 3745-54-35

At a minimum, the Permittee must maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, as required by OAC Rule 3745-54-35.

B.13 Arrangements with Local Authorities
OAC Rule 3745-54-37

- (a) The Permittee must comply with the requirements of OAC Rule 3745-54-37 (A) by making a diligent effort to:
 - (i) make arrangements and familiarize all emergency response agencies which are likely to respond in an emergency with the location and layout of the facility, properties of hazardous waste managed at the facility and associated hazards, places where facility personnel will normally be working, entrances to and roads inside the facility, and possible evacuation routes as depicted and explained in Section G of the permit application;
 - (ii) make arrangements with Ohio EPA emergency response teams, emergency response contractors, and equipment suppliers;

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

- (iii) make arrangements to familiarize local hospitals with the properties of hazardous waste handled at the facility and types of injuries or illnesses which could result from fires, explosions, or releases at the facility; and
 - (iv) make agreements designating primary emergency authority to a specific police and a specific fire department and make agreements with any others to provide support to the primary emergency authority, where more than one police and fire department may respond to an emergency.
- (b) Where authorities decline to enter into such agreements or arrangements set forth in OAC Rule 3745-54-37(A), the Permittee must document the refusal in the operating record as required by OAC Rule 3745-54-37(B).

B.14 Implementation of Contingency Plan
OAC Rules 3745-54-51 and 3745-54-56

The Permittee must immediately carry out the provisions of the contingency plan and follow the emergency procedures described in OAC Rule 3745-54-56, whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents which threatens or could threaten human health or the environment.

In regard to spills and related toxic gas releases, the plan must describe the criteria to be used by the emergency coordinator to determine when the plan will be implemented. At a minimum, the plan must be implemented in the following situations:

- (a) Any fire involving hazardous waste; or
- (b) Any explosion involving hazardous waste; or
- (c) Any uncontrolled hazardous waste reaction that produces or has the potential to produce hazardous conditions, including noxious, poisonous,

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

flammable and/or explosive gases, fumes, or vapors; harmful dust; or explosive conditions; or

- (d) Any hazardous waste release, outside of a secondary containment system, that causes or has the potential to cause off-site soil and/or surface water contamination; or
- (e) Any hazardous waste release that produces or has the potential to produce hazardous conditions, including noxious, poisonous, flammable and/or explosive gases, fumes, or vapors; harmful dust; or explosive conditions.

B.15 Content of the Contingency Plan
OAC Rule 3745-54-52

The Permittee must comply with OAC Rule 3745-54-52 and the contingency plan, as set forth in Section G of the permit application.

B.16 Contingency Plan - Released Material and Emergency Response Material and By-products
OAC Rule 3745-54-56(G)

- (a) Immediately after an emergency, the emergency coordinator must provide for treating, storing, or disposing of recovered waste, contaminated soil or surface water, or any other material that results from a release, fire, or explosion at the facility.
- (b) All liquid or solid material resulting from fire, explosion, released material or emergency response material and by-products that the Permittee is required to evaluate to determine whether such material is hazardous waste in accordance with OAC Rule 3745-52-11, must be collected and managed as a hazardous waste unless the Permittee can demonstrate that such waste is not hazardous in accordance with OAC Rule 3745-51-03(C) and (D).

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

B.17 Amendments to Plan
OAC Rule 3745-54-54

The Permittee must review the contingency plan at least annually and upon the occurrence of any event listed in OAC Rule 3745-54-54. If necessary or appropriate, the Permittee must amend the contingency plan as required by OAC Rule 3745-54-54 in accordance with OAC Rule 3745-50-51.

B.18 Copies of Plan
OAC Rule 3745-54-53

- (a) The Permittee must comply with the requirements set forth in OAC Rule 3745-54-53 regarding contingency plan distribution. The Permittee must maintain at the facility a copy of the contingency plan and all revisions to the plan.
- (b) The Permittee must, in accordance with OAC Rule 3745-54-53, submit a copy of the contingency plan to all local police departments, fire departments, hospitals and local emergency response teams that may be called upon to provide emergency services. The Permittee must notify such agencies and the local authorities, in writing, within ten (10) days of the effective date of any amendments of, revisions to, or modifications to the contingency plan.
- (c) The Permittee must, in accordance with OAC Rule 3745-54-53, submit a copy of the contingency plan to the Ohio Environmental Protection Agency's Division of Emergency and Remedial Response.

B.19 Emergency Coordinator
OAC Rule 3745-54-55

The Permittee must comply with the requirements set forth in OAC Rule 3745-54-55 regarding the emergency coordinator.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

B.20 Emergency Procedures
OAC Rule 3745-54-56

The Permittee must comply with the requirements regarding emergency procedures set forth in OAC Rule 3745-54-56, Section G of the permit application and the terms and conditions of this permit.

B.21 Availability, Retention and Disposition of Records
OAC Rule 3745-54-74

All records shall be furnished by the Permittee upon request to, and made available at all reasonable times for inspection by, Ohio EPA, in accordance with OAC Rule 3745-54-74.

B.22 Operating Record
OAC Rule 3745-54-73

The Permittee must comply with the requirements set forth in OAC Rule 3745-54-73 regarding an operating record, including information to be recorded and the maintenance thereof.

B.23 Contingency Plan Records
OAC Rule 3745-54-56(J)

The Permittee must note in the operating record the time, date, and details of any incident that requires the implementation of the contingency plan. Within fifteen (15) days after any such incident the Permittee must submit to the Director a written report of the incident containing the elements set forth in OAC Rule 3745-54-56(J).

B.24 Manifest System
OAC Rules 3745-54-70, 3745-54-71, 3745-54-72 and 3745-54-76

- (a) In managing waste at the facility the Permittee must comply with OAC Chapter 3745-52 and OAC Rules 3745-54-71, 3745-54-72 and 3745-54-76 with regard to the manifest system.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

- (b) Manifest discrepancy report. If a significant discrepancy in a manifest is discovered, the Permittee must attempt to reconcile the discrepancy. If not resolved with fifteen (15) days after receiving the waste, the Permittee must submit a letter describing the discrepancy and attempts to reconcile it, and a copy of the manifest, to the Director in accordance with OAC Rule 3745-54-72.
- (c) Unmanifested waste report. If the Permittee receives unmanifested waste which is not excluded from the manifest requirements of OAC Rule 3745-51-05, then the Permittee must submit an unmanifested waste report to the Director within fifteen (15) days after receipt of the waste. The report must include the information required under OAC Rule 3745-54-76.

B.25 Annual Reports and Additional Reports
OAC Rules 3745-54-75 and 3745-54-77

The Permittee must comply with the annual report requirements set forth in OAC Rule 3745-54-75 and the additional report requirements set forth in OAC Rule 3745-54-77.

B.26 Closure Performance Standard

OAC Rule 3745-55-11

During facility closure, the Permittee must implement the provisions of the closure plan found in Section I of the permit application in such a manner as to achieve compliance with OAC Rule 3745-55-11.

B.27 Closure Plan
OAC Rules 3745-55-10, 3745-55-11 and 3745-55-13

The Permittee must implement those procedures detailed within Section I of the permit application, in accordance with OAC Rules 3745-55-10 through 3745-55-20.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

B.28 Amendment of Closure Plan

OAC Rules 3745-55-12 and 3745-50-51

Should a change in the facility closure plan become necessary, the Permittee must amend the closure plan in accordance with OAC Rule 3745-55-12 (C).

B.29 Content of Closure Plan

OAC Rule 3745-55-12

The Permittee must maintain the closure plan at the facility which contains the elements set forth in OAC Rule 3745-55-12 and all elements required by the terms and conditions of this permit.

B.30 Notification of Closure

OAC Rule 3745-55-12

The Permittee must notify the Director in writing at least 45 days prior to the date on which he expects to begin final closure of a facility, as required by OAC Rule 3745-55-12(D).

B.31 Time Allowed For Closure

OAC Rule 3745-55-13

Within ninety (90) days after receiving the final volume of hazardous waste, the Permittee must remove from the facility, or treat or dispose of on-site, all hazardous waste in accordance with the closure plan. The Director may approve a longer closure period if the Permittee complies with all applicable requirements for requesting a modification to the permit as set forth in OAC Rule 3745-55-13(A). The Permittee must complete all closure activities within one hundred eighty (180) days after receiving the final volume of hazardous waste in accordance with OAC Rule 3745-55-13. The Director may approve a longer closure period if the Permittee complies with all applicable requirements for requesting a modification to the permit as set forth in OAC Rule 3745-55-13 (B).

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

B.32 Disposal or Decontamination of Equipment, Structures, and Soils
OAC Rule 3745-55-14

- (a) The Permittee must decontaminate or dispose of all contaminated facility equipment, structures, and soils, as required by OAC Rule 3745-55-14, the closure plan and the terms and conditions of this permit.
- (b) The Permittee must notify the Ohio EPA Southwest District Office within five (5) working days prior to all rinseate and soil sampling.

B.33 Certification of Closure
OAC Rule 3745-55-15

The Permittee and an independent, registered professional engineer must certify that each hazardous waste management unit or the facility has been closed in accordance with the specifications in the closure plan and the terms and conditions of this permit, as required by OAC Rule 3745-55-15. The Permittee must furnish to the Director, upon request, documentation supporting the certification.

B.34 Survey Plat
OAC Rule 3745-55-16

Reserved.

B.35 General Post-Closure Requirements
OAC Rules 3745-55-17, 3745-55-18, 3745-55-19 and 3745-55-20

Reserved.

B.36 Cost Estimate for Facility Closure and Post-Closure
OAC Rule 3745-55-42 and 3745-55-44

Reserved.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

B.37 Financial Assurance for Facility Closure and Post-Closure

Reserved.

B.38 Liability Requirements

Reserved.

B.39 Incapacity of Owners or Operators, Guarantors, or Financial Institutions
OAC Rule 3745-55-48

Reserved.

B.40 General Requirements for Land Disposal Restrictions
OAC Chapter 3745-270

The Permittee must comply with all applicable regulations regarding land disposal prohibitions and restrictions as required by OAC Chapter 3745-270.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

MODULE C - CONTAINER STORAGE

C. CONTAINER STORAGE AND MANAGEMENT

Wright-Patterson Air Force Base (WPAFB) is located in Fairborn, Ohio. The facility is permitted to store containerized hazardous waste. This waste management activity is conducted inside Building 479 located near the southern boundary of Area B. Building 479 is a 50 foot by 85 foot one-story, four sided structure with a concrete slab foundation. The container storage area of Building 479 is designed, constructed, and managed as though all wastes stored in it contain free liquids. In terms of hazardous waste operations, the facility receives predominately waste from research labs and industrial shops at WPAFB. Examples of hazardous waste streams generated and stored at Building 479 are listed in Table C-1 of the permit application. The container storage area is divided into four bays (Bay 1 Toxics, Bay 2 Corrosives, Bay 3 Ignitables (nonhalogenated) and Bay 4 Ignitables (halogenated). These waste materials are evaluated and stored in the appropriate bay based on the waste type. The waste materials are stored at the facility for an interval, then shipped off to other permitted hazardous waste treatment, storage, and disposal facilities. No hazardous waste disposal occurs at the facility. The maximum amount of hazardous waste that can be stored at the facility at any time is 17,820 gallons with a secondary containment capacity of 14,392 gallons.

C.1 Container Storage/ Quantity Limitation

- (a) The Permittee is authorized to store 17,820 gallons of hazardous waste at any given time in the permitted container area located in Building 479. The Permittee must store hazardous waste in the types of containers (size and type) described in Section D of the permit application.
- (b) For the purpose of compliance with the capacity limitation of this permit, each container will be considered to be storing an amount of hazardous waste equal to its capacity, regardless of the actual quantity stored in the container.
- (c) Permit Conditions C.1(a) and C.2 shall not apply to the Permittee's activities as a generator accumulating hazardous waste on-site in compliance with OAC Rule 3745-52-34 and 40 CFR Part 265, subparts AA, BB, and CC.

However, when accumulating waste within the permitted container storage area, in accordance with OAC Rule 3745-52-34 and 40 CFR Part 265,

subparts AA, BB, and CC, the Permittee must not, for the total amount of hazardous waste stored and accumulated, exceed the maximum container storage inventory established under this permit condition.

C.2 Limitations on Treatment of Hazardous Waste in Containers

Reserved.

C.3 Waste Identification

The Permittee must store in containers only the hazardous waste codes specified below:

D001, D002, D003, D004, D005, D006, D007, D008, D009, D010, D011, D012, D013, D014, D015, D016, D017, D018, D019, D020, D021, D022, D023, D024, D025, D026, D027, D028, D029, D030, D031, D032, D033, D034, D035, D036, D037, D038, D039, D040, D041, D042, D043.

F001, F002, F003, F004, F005, F006, F007, F008, F009, F010, F011, F012, F019, F020, F021, F022, F023, F024, F026, F027, F028, F039.

P001, P002, P003, P004, P005, P006, P007, P008, P009, P010, P011, P012, P013, P014, P015, P016, P017, P018, P020, P021, P022, P023, P024, P026, P027, P028, P029, P030, P031, P033, P034, P036, P037, P038, P039, P040, P041, P042, P043, P044, P045, P046, P047, P048, P049, P050, P051, P054, P056, P057, P058, P059, P060, P062, P063, P064, P065, P066, P067, P068, P069, P070, P071, P072, P073, P074, P075, P076, P077, P078, P081, P082, P084, P085, P087, P088, P089, P092, P093, P094, P095, P096, P097, P098, P099, P101, P102, P103, P104, P105, P106, P107, P108, P109, P110, P111, P112, P113, P114, P115, P116, P118, P119, P120, P121, P122, P123, P127, P128, P185, P188, P189, P190, P191, P192, P194, P196, P197, P198, P199, P201, P202, P203, P204, P205.

U001, U002, U003, U004, U005, U006, U007, U008, U009, U010, U011, U012, U014, U015, U016, U017, U018, U019, U020, U021, U022, U023, U024, U025, U026, U027, U028, U029, U030, U031, U032, U033, U034, U035, U036, U037, U038, U039, U041, U042, U043, U044, U045, U046, U047, U048, U049, U050, U051, U052, U053, U055, U056, U057, U058, U059, U060, U061, U062, U063, U064, U066, U067, U068, U069, U070, U071, U072, U073, U074, U075, U076, U077, U078, U079, U080, U081, U082, U083, U084, U085, U086, U087, U088,

U089, U090, U091, U092, U093, U094, U095, U096, U097, U098, U099, U101, U102, U103, U105, U106, U107, U108, U109, U110, U111, U112, U113, U114, U115, U116, U117, U118, U119, U120, U121, U122, U123, U124, U125, U126, U127, U128, U129, U130, U131, U132, U133, U134, U135, U136, U137, U138, U139, U140, U141, U142, U143, U144, U145, U146, U147, U148, U149, U150, U151, U152, U153, U154, U155, U156, U157, U158, U159, U160, U161, U162, U163, U164, U165, U166, U167, U168, U169, U170, U171, U172, U173, U174, U176, U177, U178, U179, U180, U181, U182, U183, U184, U185, U186, U187, U188, U189, U190, U191, U192, U193, U194, U196, U197, U200, U201, U202, U203, U204, U205, U206, U207, U208, U209, U210, U211, U213, U214, U215, U216, U217, U218, U219, U220, U221, U222, U223, U225, U226, U227, U228, U234, U235, U236, U237, U238, U239, U240, U243, U244, U246, U247, U248, U249, U271, U278, U279, U280, U328, U353, U359, U364, U367, U372, U373, U387, U389, U394, U395, U404, U408, U409, U410, U411.

C.4 Condition of Containers
OAC Rule 3745-55-71

If a container holding hazardous waste is not in good condition (e.g., severe rusting, apparent structural defects) or if it begins to leak, the Permittee must transfer the hazardous waste from such container to a container that is in good condition or otherwise manage the waste in compliance with the conditions of this permit and the hazardous waste facility chapters of the OAC.

C.5 Compatibility of Waste with Containers
OAC Rule 3745-55-72

The Permittee must use a container made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste to be stored, so that the ability of the container to contain the waste is not impaired.

C.6 Management of Containers
OAC Rule 3745-55-73

- (a) The Permittee must keep all containers closed during storage, except when it is necessary to add or remove waste, and must not open, handle, or store containers in a manner which may rupture the container or cause it to leak.
- (b) In the event lab-pack wastes are generated they must be handled in compliance with applicable storage requirements.

- (c) In the event lab-pack wastes are generated they must be packaged in drums containing absorbent material that is compatible with the waste.

C.7 Containment Systems
OAC Rule 3745-55-75

- (a) The Permittee must maintain the containment system in accordance with the plans and specifications contained in Section D of the permit application.
- (b) The Permittee must maintain the containment system as described in the permit application, designed with sufficient capacity to contain ten percent of the total volume of the containers or the volume of the largest container, whichever is greater. The containment system must be free of cracks and gaps and sufficiently impervious to contain leaks and spills and accumulated precipitation until the collected material is detected and removed.
- (c) The base of the containment system must be sloped or the containment system must be otherwise designed and operated to drain and remove liquids resulting from leaks, spills, or precipitation, unless the containers are elevated or are otherwise protected from contact with accumulated liquids.
- (d) Run-on into the containment system must be prevented unless the collection system has sufficient excess capacity in addition to that required in Permit Condition C.7(b) above.
- (e) Spilled or leaked waste and accumulated precipitation must be removed from the sump or collection area in a timely manner. This time period is not to exceed twenty-four (24) hours from the time spilled and/or leaked waste is discovered to have reached the collection trenches situated within the secondary containment system of Building 479.

C.8 Prohibition of Container Storage
ORC Section 3734.02(F)

The Permittee shall not receive and subsequently store any container of hazardous waste from off-site sources, other than for waste generated at Area A of Wright-Patterson AFB and wastes generated from other DoD installations. All manifesting requirements still apply to these wastes.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

C.9 Inspection Schedules and Procedures
OAC Rules 3745-54-15 and 3745-54-73

The Permittee must inspect the container storage area in accordance with the inspection schedule contained in Section F of the permit application and in accordance with OAC Rule 3745-54-15. The inspection schedule must be designed to detect for leaking containers, deteriorating containers, and/or containment systems. The Permittee must note the results of these inspections in the inspection log along with any remedial action taken. On days when containerized waste is added or removed to and/or from any of the permitted areas for storage, the Permittee shall conduct an inspection as described in Section F of the approved Part B permit application, and maintain the inspection results in the facility operating record.

Areas subject to spills, such as loading or unloading areas, shall be inspected daily when in use pursuant to the inspection procedure described in Section F of the permit application. The Permittee must maintain these inspection results in the facility operating record.

C.10 Recordkeeping
OAC Rule 3745-54-73

The Permittee must comply with all recordkeeping requirements of OAC Rule 3745-54-73 as part of the facility operating record.

C.11 Special Container Provisions for Ignitable or Reactive Waste
OAC Rules 3745-54-17 and 3745-55-76

- (a) The Permittee must not store ignitable or reactive waste except in accordance with OAC Rules 3745-54-17 and 3745-55-76.
- (b) The Permittee must not locate containers holding ignitable or reactive waste within 15 meters (50 feet) of the facility's property line.
- (c) The Permittee must take precautions to prevent accidental ignition or reaction of ignitable or reactive waste and shall follow the storage procedures specified in Section D of the permit application.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

C.12 Special Container Provisions for Incompatible Waste
OAC Rules 3745-54-17(B) and 3745-55-77

- (a) The Permittee must not store incompatible waste except in accordance with OAC Rules 3745-54-17(B) and 3745-55-77.
- (b) The Permittee must not place hazardous waste in an unwashed container that previously held an incompatible waste or material.
- (c) The Permittee must separate or protect (by means of a dike, berm, wall, or other device) a storage container holding a hazardous waste that is incompatible with any waste or other materials stored nearby in other containers, piles, open tanks, or surface impoundments.

C.13 Compliance Schedule
OAC Rule 3745-50-50

Reserved.

C.14 Closure and Post-Closure
OAC Rules 3745-55-10 through 3745-55-20, and 3745-55-78

At closure of the container area, the Permittee shall remove all hazardous waste and hazardous waste residues from the containment system, in accordance with the procedures in the closure plan set forth in Section I of the permit application.

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

MODULE E - CORRECTIVE ACTION REQUIREMENTS

E.1 Corrective Action at the Facility OAC Rules 3745-50-10 & 3745-54-101

Corrective Action is currently being addressed pursuant to the Director's Final Findings and Orders issued to the U.S. Department of Defense. et. al., on February 7, 1988 ("Orders"). On May 24, 1991, WPAFB entered into an agreement with USEPA Region V to integrate the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) response obligations and RCRA correction action obligations. A copy of the relevant portion of this agreement is included in Attachment A.

For as long as the Permittee remains in compliance with the Orders, the Corrective Action obligations of the permit are met. In the event that the Consent Orders are violated, and/or the Corrective Action fails, is incomplete, or otherwise does not address corrective actions needed at waste management units, Ohio EPA reserves the right to modify the permit to require specific Corrective Action at the Facility.

In the event that any Corrective Action required at the Facility requires the implementation of a land use restriction for all or part of the Facility, it is contemplated that at the time that the specific requirements of a land use restriction can be determined, Director's Final Findings and Orders, on consent, will be issued which 1) create an equitable servitude upon the property, or portion thereof, which limits the use of the land as required by the approved Correction Action, and demonstrate the agreement between the landowner and Ohio EPA to create such an equitable servitude, 2) require the landowner to file notice of the equitable servitude with the County Recorder's Office, 3) require the landowner to place the deed restriction into the deed at the time of the next transaction on the property, and 4) contain, as an attachment or otherwise, the specific, agreed-upon language of the land use restriction itself.

END OF PERMIT CONDITIONS

JUN 27 2011

DIV. OF HAZARDOUS
WASTE MGT.

Attachment A

2.1 STATUTORY COMPLIANCE/RCRA-CERCLA INTEGRATION

21.1 - The Parties intend to integrate the Air Force's CERCLA response obligations and RCRA correction action obligations which relate to the release(s) of hazardous substances, hazardous wastes, pollutants or contaminants covered by this Agreement into this comprehensive Agreement. Therefore, the Parties intend that activities covered by this Agreement will achieve compliance with CERCLA, 42 U.S.C. §9601 et seq; satisfy the corrective action requirements of Sections 3004(u) and (v) of RCRA, 42 U.S.C. 6928(h), for interim status facilities; and meet or exceed all applicable or relevant and appropriate Federal and State laws and regulations, to the extent required by Section 121 CERCLA, 42 U.S.C. §9621.

21.2 - Based upon the foregoing, the Parties intend that any remedial action selected, implemented and completed under this Agreement will be protective of human health and the environment such that remediation or releases covered by the Agreement shall obviate the need for further corrective action under RCRA (i.e., no further corrective action shall be required). The Parties agree that with respect to releases of hazardous waste covered by this Agreement, RCRA shall be considered an applicable or relevant and appropriate requirement pursuant to Section 121 of CERCLA, 42 U.S.C. §9621.