

OHIO E.P.A.

BEFORE THE

AUG 26 2010

OHIO ENVIRONMENTAL PROTECTION AGENCY ENTERED DIRECTOR'S JOURNAL

In the Matter of:

GF

| | | |
|---|----------------------------|--|
| <p>Sartaj Oil Company/Shell #2332 1538 W. 117th Street Lakewood, Ohio 44107</p> | <p>:</p> <p>:</p> <p>:</p> | <p><u>Director's Final Findings</u> <u>and Orders</u></p> |
|---|----------------------------|--|

PREAMBLE

It is agreed by the parties hereto as follows:

I. JURISDICTION

These Director's Final Findings and Orders ("Orders") are issued to Sartaj Oil/Shell #2332 ("Respondent") pursuant to the authority vested in the Director of the Ohio Environmental Protection Agency ("Ohio EPA") under Ohio Revised Code ("ORC") §§ 3704.03 and 3745.01.

II. PARTIES BOUND

These Orders shall apply to and be binding upon Respondent and successors in interest liable under Ohio law. No change in ownership of the Respondent's facility (as hereinafter defined) shall in any way alter Respondent's obligations under these Orders.

III. DEFINITIONS

Unless otherwise stated, all terms used in these Orders shall have the same meaning as defined in ORC Chapter 3704 and the rules promulgated thereunder.

IV. FINDINGS

The Director of Ohio EPA makes the following findings:

1. Respondent owns and operates a gasoline dispensing facility ("GDF") located at 1538 W. 117th Street, in Lakewood (Cuyahoga County), Ohio (Ohio EPA ID 1318286800). This GDF is subject to the requirements of Ohio Administrative Code ("OAC") Rule 3745-21-09(DDD) concerning Stage II vapor control systems.



2. On January 5, 2007, Respondent was issued a permit-by-rule ("PBR") by Ohio EPA, in accordance with OAC Rule 3745-31-03. The PBR required Respondent to comply with the requirements for Stage II vapor control systems as specified in OAC Rule 3745-21-09(DDD).

3. ORC § 3704.05(G) states, in part, that no person shall violate any order, rule, or determination of the Director issued, adopted, or made under ORC Chapter 3704. OAC Rule 3745-21-09(DDD) was adopted by the Director pursuant to ORC Chapter 3704.

4. OAC Rule 3745-21-09(DDD)(1)(b) states, in part, that no owner or operator of a subject GDF may cause, allow, or permit the transfer of gasoline from a stationary tank at a GDF into a motor vehicle unless a vapor control system is installed, operated, and maintained in accordance with the manufacturer's specifications and the applicable California Air Resources Board ("CARB") certification, and is free from defect.

5. OAC Rule 3745-21-09(DDD)(1)(c) states, in part, that no owner or operator of a subject GDF may cause, allow, or permit the transfer of gasoline from a stationary tank at a GDF into a motor vehicle unless the vapor control system successfully passes the testing requirements contained in OAC Rule 3745-21-09(DDD)(2).

6. OAC Rule 3745-21-09(DDD)(2)(f) requires the owner or operator of a GDF to perform and comply with any vapor control system tests specified in the applicable CARB certification. As part of the required CARB testing for the above-mentioned GDF, an air-to-liquid ("A/L") ratio test and a static leak test are required to be performed annually and any fueling point not capable of demonstrating compliance with the performance standards of the A/L ratio test is deemed to be defective and is required to be removed from service.

7. On November 10, 2008, Respondent attempted to conduct the annual Stage II compliance tests at this GDF. The static leak test passed but the A/L ratio test failed for all dispensers. Respondent was dispensing gasoline prior to and after the failed A/L ratio test. The failure to properly operate and maintain the vapor control system and the failure to successfully pass the testing requirements contained in OAC Rule 3745-21-09(DDD)(2) while causing, allowing, or permitting the transfer of gasoline from a stationary storage tank into a motor vehicle were violations of ORC § 3704.05(G) and OAC Rule 3745-21-09(DDD)(1)(b) and (c). On December 22, 2008, Respondent passed an A/L ratio retest for all dispensers.

8. On October 30, 2009, Respondent attempted to conduct the annual Stage II compliance tests at this GDF. The static leak test passed but the A/L ratio test failed for all dispensers. Respondent was dispensing gasoline prior to and after the failed A/L ratio test. The failure to properly operate and maintain the vapor control system and the failure to successfully pass the testing requirements contained in OAC



Rule 3745-21-09(DDD)(2) while causing, allowing, or permitting the transfer of gasoline from a stationary storage tank into a motor vehicle were violations of ORC § 3704.05(G) and OAC Rule 3745-21-09(DDD)(1)(b) and (c). On December 18, 2009 Respondent passed an A/L ratio retest for all dispensers.

9. By letters dated December 2, 2009 and January 22, 2010, Ohio EPA notified Respondent of the violations referenced in Findings 7 and 8 of these Orders.

10. The Director has given consideration to, and based his determination on, evidence relating to the technical feasibility and economic reasonableness of complying with the following Orders and their relation to benefits to the people of the State to be derived from such compliance.

V. ORDERS

The Director hereby issues the following Orders:

1. Within thirty (30) days of the effective date of these Orders through October 31, 2010 (the end of the 2010 ozone-producing season), Respondent shall conduct weekly inspections of the Stage II vapor control system, checking for leaks, malfunctions or other damage to the system and shall keep records of these inspections and any repairs made. Respondent shall continue conducting these inspections during the next two ozone-producing seasons (April 1, 2011 – October 31, 2011 and April 1, 2012 – October 31, 2012), starting two weeks prior to the start of the ozone season (i.e., by March 15, 2011 and March 15, 2012), and continuing until October 31, 2011 and not earlier than July 31, 2012, respectively. The inspections shall be recorded in an inspection log or checklist. Copies of the inspection logs or checklists shall be submitted to Ohio EPA during the middle and at the end of each ozone season. Specifically, copies of the weekly inspection records for the period from March 15 through July 31 shall be submitted by August 14 of that year. Copies of the weekly inspection records for August 1 through October 31 shall be submitted by November 14 of that year.

2. For the next two ozone-producing seasons (i.e., April 1, 2011 – October 31, 2011 and April 1, 2012 – October 31, 2012), Respondent shall perform static leak and A/L ratio tests prior to the beginning (during March) of each ozone season and during August of each ozone season. Respondent shall notify Ohio EPA of such testing at least fourteen (14) days prior to any test. The results of these tests shall be submitted to Ohio EPA within fourteen (14) days after completion of the tests.

3. Within twenty-five (25) months after the effective date of these Orders, Respondent shall pay the amount of five thousand dollars (\$5,000), in payments of two hundred dollars (\$200) per month, and not later than the last day of each month, to Ohio EPA in settlement of Ohio EPA's claim for civil penalties, which may be assessed pursuant to ORC Chapter 3704. The first payment shall be made by July 31, 2010. Payment to Ohio EPA shall be made by an official check made payable to "Treasurer,



State of Ohio" and shall be submitted to Brenda Case, or her successor, together with a letter identifying the Respondent, to:

Ohio EPA
Office of Fiscal Administration
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049

4. A copy of each of the above checks shall be sent to James A. Orlemann, Assistant Chief, SIP Development and Enforcement, or his successor, at the following address:

Ohio EPA
Division of Air Pollution Control
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049

VI. TERMINATION

Respondent's obligations under these Orders shall terminate when Respondent certifies in writing and demonstrates to the satisfaction of Ohio EPA that Respondent has performed all obligations under these Orders and the Chief of Ohio EPA's Division of Air Pollution Control acknowledges, in writing, the termination of these Orders. If Ohio EPA does not agree that all obligations have been performed, then Ohio EPA will notify Respondent of the obligations that have not been performed, in which case Respondent shall have an opportunity to address any such deficiencies and seek termination as described above.

The certification shall contain the following attestation: "I certify that the information contained in or accompanying this certification is true, accurate and complete."

This certification shall be submitted by Respondent to Ohio EPA and shall be signed by a responsible official of Respondent. For the purposes of these Orders, a responsible official is a principal executive officer of at least the level of vice president or his duly authorized representative.

VII. OTHER CLAIMS

Nothing in these Orders shall constitute or be construed as a release from any claim, cause of action or demand in law or equity against any person, firm, partnership, or corporation, not a party to these Orders, for any liability arising from, or related to, the operation of Respondent's facility.



VIII. OTHER APPLICABLE LAWS

All actions required to be taken pursuant to these Orders shall be undertaken in accordance with the requirements of all applicable local, state and federal laws and regulations. These Orders do not waive or compromise the applicability and enforcement of any other statutes or regulations applicable to Respondent.

IX. MODIFICATIONS

These Orders may be modified by agreement of the parties hereto. Modifications shall be in writing and shall be effective on the date entered in the journal of the Director of Ohio EPA.

X. NOTICE

All documents required to be submitted by Respondent pursuant to these Orders shall be addressed to:

Cleveland Department of Public Health
Division of Air Quality
75 Erieview Plaza – 2nd Floor
Cleveland, Ohio 44114
Attn: George Baker

and to:

Ohio Environmental Protection Agency
Lazarus Government Center
Division of Air Pollution Control
50 West Town Street, Suite 700
Columbus, Ohio 43216-1049
Attn: Jim Orlemann

or to such persons and addresses as may hereafter be otherwise specified in writing by Ohio EPA.

XI. RESERVATION OF RIGHTS

Ohio EPA and Respondent each reserve all rights, privileges, and causes of action except as specifically waived in Section XII of these Orders.



XII. WAIVER

In order to resolve disputed claims, without admission of fact, violation, or liability, and in lieu of further enforcement action by Ohio EPA for only the violations specifically cited in these Orders, Respondent consents to the issuance of these Orders and agrees to comply with these Orders. Compliance with these Orders shall be a full accord and satisfaction for Respondent's liability for the violations specifically cited herein.

Respondent hereby waives the right to appeal the issuance, terms and conditions, and service of these Orders, and Respondent hereby waives any and all rights Respondent may have to seek administrative or judicial review of these Orders either in law or equity.

Notwithstanding the preceding, Ohio EPA and Respondent agree that if these Orders are appealed by any other party to the Environmental Review Appeals Commission, or any court, Respondent retains the right to intervene and participate in such appeal. In such an event, Respondent shall continue to comply with these Orders notwithstanding such appeal and intervention unless these Orders are stayed, vacated, or modified.

XIII. EFFECTIVE DATE

The effective date of these Orders is the date these Orders are entered into the Ohio EPA Director's journal.




XIV. SIGNATORY AUTHORITY

Each undersigned representative of a party to these Orders certifies that he or she is fully authorized to enter into these Orders and to legally bind such party to these Orders.

ORDERED AND AGREED:

Ohio Environmental Protection Agency




Chris Korleski
Director

Date

8/25/10

AGREED:

Sartaj Oil Company/Shell #2332



Signature

Date

8/12/2010

PARAMJIT SINGH
Printed or Typed Name

President
Title

1000

1000

1000

1000

1000

1000