



February 24, 2017

Ohio Department of Health (ODH)  
 Attn: Lead Program, 6<sup>th</sup> Floor  
 246 North High Street  
 Columbus, OH 43215

RE: Butler County Water District 2 PWS - Lead Mapping in Distribution System

Dear Sir or Madam:

Under the direction of the Board of County Commissioners, the Butler County Water and Sewer Department (BCWS) provides safe, reliable water and sewer services to a population of over 100,000 in Butler County, Ohio.

BCWS has produced a map of the water distribution system identifying the likelihood of lead pipes, solder or fixtures within service area structures. The guidelines provided by Ohio EPA for lead mapping in distribution systems set up the framework for BCWS' map.

The attached map shows three categories of lead potential within buildings and structures. The age of the building was the driving factor in identifying that potential, purple parcels have the least likelihood, blue parcels have moderate likelihood and red parcels have the highest likelihood. The chart below details the categories.

| Date range                                  | Regulation   | Color of Parcel on map |
|---|--|------------------------|
| <b>1998 – Homes built before and during</b> | 1986 Safe Drinking Water Act lead ban provisions, but Ohio code had not been updated until 1998. | Red                    |
| <b>1999 – 2013 Homes built during</b>       | Ohio Plumbing Code updated to match SDWA standards. Lead-free was having no more than 8% lead.   | Blue                   |
| <b>2014 – Homes built during and after</b>  | Effective 1/1/14 – SDWA amended to decrease lead materials to be less than 0.25% lead.           | Purple                 |

BCWS has reviewed historical records pertaining to County Commissioner resolutions on the ban of lead materials between 2003-2016 and no specific resolution was found. Standard building specifications have been reviewed and are in compliance with state and federal lead standards. Waterline maintenance and break repair records from 1998-2017 have been reviewed for potential lead documentation and no presence of lead found. The review of the 1994 Corrosion Control Desk Top Study previously submitted

COMMISSIONERS  
 DONALD L. DIXON • CINDY CARPENTER • TC ROGERS

to the Ohio EPA, provided documentation that there were no lead services lines as of the date of the report.

Additionally, the county maintains 39,408 water service connections. Of those 16,549 were originally polybutylene pipe. 11,519 have been replaced and 5,030 polybutylene services remain. The other 22,859 water connections are primarily copper material. Therefore, to the best of our knowledge, there are no lead service lines within the distribution system on the PWS side.

BCWS has provided the enclosed map to the Ohio Department of Health, Ohio Department of Job and Family Services, Butler County Department of Health, Butler County Job and Family Services, and published an electronic copy of the map on our website. Through the website, customers have the ability to search their address to identify the risk of lead in their drinking water.

Should you have any questions regarding our comments you can contact me by phone at 513-785-5415 or by email at [vanfranksc@butlercountyohio.org](mailto:vanfranksc@butlercountyohio.org)

Sincerely,  
BUTLER COUNTY WATER AND SEWER DEPARTMENT



Sarah Van Frank  
Sr. Environmental Specialist



Colen T. Rhoades III  
Chief Operator – Water Distribution  
WS3 - 10122559

C: Robert B. Leventry, Director, BCWS  
BCWS Regulatory Compliance Team





Spreadsheet for lead and copper sample sites

\* = Required field

Please return to Michael.deal@epa.ohio.gov with subject "Lead and Copper SMP IDs" by JANUARY 15th, 2017

| PWS ID*   | PWS Name*        | SMP ID* | Tier Site* | Street Address*       | City*        | State* | Zip*  | Tap Location* | Resident Name*          | Resident (Home) Phone #* | Resident (Cell) Phone #* | Resident Email     | Plumbing Age* | Type of Interior Plumbing | Service Line Material* | Structure Type* |
|-----------|------------------|---------|------------|-----------------------|--------------|--------|-------|---------------|-------------------------|--------------------------|--------------------------|--------------------|---------------|---------------------------|------------------------|-----------------|
| OH0900303 | Butler Co. Water | LC201   | Tier 1     | 6190 Amelia           | Cincinnati   | Ohio   | 45241 | Kitchen       | Michael/ Charlene K     | 513-922-2264             |                          |                    | CuPb>82       |                           | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC202   | Tier 1     | 7420 AmyBeth Ct.      | West Chester | Ohio   | 45069 | Kitchen       | Jerome/ Nathalie Julien |                          |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC203   | Tier 1     | 7430 AmyBeth Ct.      | West Chester | Ohio   | 45069 | Kitchen       | James Peace             | 513-777-6633             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC204   | Tier 1     | 7443 AmyBeth Ct.      | West Chester | Ohio   | 45069 | Kitchen       | Bruce Fischer           | 513-779-1717             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC205   | Tier 1     | 7453 AmyBeth Ct.      | West Chester | Ohio   | 45069 | Kitchen       | James Placko            | 513-779-6131             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC206   | Tier 1     | 7473 AmyBeth Ct.      | West Chester | Ohio   | 45069 | Kitchen       | William Mock            |                          |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC207   | Tier 1     | 4424 Aspen Dr.        | Hamilton     | Ohio   | 45011 | Kitchen       | Karen Evans             | 513-896-6988             |                          |                    | CuPb>82       |                           | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC208   | Tier 1     | 7281 Bannerwood       | West Chester | Ohio   | 45069 | Kitchen       | Charles Ciccia          | 513-887-7115             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC209   | Tier 1     | 7294 Bannerwood       | West Chester | Ohio   | 45069 | Kitchen       | Jeff Pence              | 513-887-2881             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC210   | Tier 1     | 7303 Bannerwood       | West Chester | Ohio   | 45069 | Kitchen       | Amy Ullman              | 513-895-4699             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC211   | Tier 1     | 3852 Bayberry Dr.     | West Chester | Ohio   | 45069 | Kitchen       | Linda Sears             | 513-868-1049             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC212   | Tier 1     | 3969 Bayberry Dr.     | West Chester | Ohio   | 45069 | Kitchen       | Benjamin Hall / Lisa C  | 513-348-6383             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC213   | Tier 1     | 7941 Bennington Dr.   | Cincinnati   | Ohio   | 45241 | Kitchen       | Douglas Graham          | 513-779-4272             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC214   | Tier 1     | 10073 Bennington Dr.  | Cincinnati   | Ohio   | 45241 | Bathroom      | Patrick Knoll           | 513-779-4681             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC215   | Tier 1     | 10083 Bennington Dr.  | Cincinnati   | Ohio   | 45241 | Kitchen       | Keith Baker             | 513-777-7853             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC216   | Tier 1     | 10117 Bennington Dr.  | Cincinnati   | Ohio   | 45241 | Kitchen       | John Lucas              | 513-779-0437             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC217   | Tier 1     | 10054 Bolingbroke Dr. | Cincinnati   | Ohio   | 45241 | Kitchen       | David Freson            | 513-777-9559             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC218   | Tier 1     | 10072 Bolingbroke Dr. | Cincinnati   | Ohio   | 45241 | Kitchen       | Jens & Marion Woeb      | 513-530-9247             |                          | woebee1@fuse.net   | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC219   | Tier 1     | 10082 Bolingbroke Dr. | Cincinnati   | Ohio   | 45241 | Kitchen       | Otis Daniels            | 513-755-2629             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC220   | Tier 1     | 10107 Bolingbroke Dr. | Cincinnati   | Ohio   | 45241 | Kitchen       | Daniel Geers            | 513-779-0665             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC221   | Tier 1     | 10119 Bolingbroke Dr. | Cincinnati   | Ohio   | 45241 | Kitchen       | Angie Stofko            | 513-779-9669             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC222   | Tier 1     | 10129 Bolingbroke Dr. | Cincinnati   | Ohio   | 45241 | Kitchen       | Ken & Kelly Huster      | 513-573-0958             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC223   | Tier 1     | 10159 Bolingbroke Dr. | Cincinnati   | Ohio   | 45241 | Kitchen       | Scott Kovach            | 513-777-5350             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC224   | Tier 1     | 6095 Brofield Dr.     | Hamilton     | Ohio   | 45011 | Kitchen       | David Bertsche          | 513-844-6137             |                          |                    | CuPb>82       |                           | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC225   | Tier 1     | 6111 Brofield Dr.     | Hamilton     | Ohio   | 45011 | Kitchen       | Shirley Williams        | 513-896-7237             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC226   | Tier 1     | 6126 Brofield Dr.     | Hamilton     | Ohio   | 45011 | Kitchen       | Sara & David Dekela     | 513-907-7758             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC227   | Tier 1     | 6166 Brofield Dr.     | Hamilton     | Ohio   | 45011 | Kitchen       | Rob Hicks               | 513-895-5088             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC228   | Tier 1     | 4325 Bromyard Ave.    | Cincinnati   | Ohio   | 45241 | Kitchen       | Patrick Sheehan         | 513-218-4924             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC229   | Tier 1     | 4330 Bromyard Ave.    | Cincinnati   | Ohio   | 45241 | Kitchen       | Stephanie Sage          | 513-779-2778             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC230   | Tier 1     | 4338 Bromyard Ave.    | Cincinnati   | Ohio   | 45241 | Kitchen       | Michael Crosby          | 513-755-0809             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC231   | Tier 1     | 4407 Bromyard Ave.    | Cincinnati   | Ohio   | 45241 | Kitchen       | Michael Driscoll        | 513-633-0012             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC232   | Tier 1     | 9743 Casey's Crossing | West Chester | Ohio   | 45069 | Kitchen       | Jason Spruance          | 513-300-3389             |                          | jason.spruance@g   | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC233   | Tier 1     | 6098 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Bobby Harris            | 513-867-0256             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC234   | Tier 1     | 6107 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Jeff & Sue Black        | 513-844-1178             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC235   | Tier 1     | 6148 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Gregory Campbell        | 513-868-0095             |                          | soupersis@yahoo.   | CuPb>82       |                           | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC236   | Tier 1     | 6381 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Greg Harter             | 513-608-4734             |                          | gharterhst@aol.co  | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC237   | Tier 1     | 6384 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Dane Margerum           | 513-844-8082             |                          | classiedly@aol.con | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC238   | Tier 1     | 6391 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Gary Davis              | 513-896-5828             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC239   | Tier 1     | 6394 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Zachery Kamta           | 513-805-3352             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC240   | Tier 1     | 6418 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Nancy Roberts           | 513-863-7653             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC241   | Tier 1     | 6427 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Scott Benson            |                          |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC242   | Tier 1     | 6428 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Ronald Jackson Jr.      | 513-256-5018             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC243   | Tier 1     | 6447 Chablis Dr.      | Hamilton     | Ohio   | 45011 | Kitchen       | Bryant Marshall         | 513-863-0938             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC244   | Tier 1     | 5728 Chadwick Ct.     | West Chester | Ohio   | 45069 | Kitchen       | Mark Baumhardt          | 513-755-6015             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC245   | Tier 1     | 6609 Chessie Dr.      | West Chester | Ohio   | 45069 | Kitchen       | Jim Redkey              | 513-779-6780             |                          | redke1@fuse.net    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC246   | Tier 1     | 7247 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | Ron Hochstrasser        | 513-779-0668             |                          | rhochstrasser@cin  | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC247   | Tier 1     | 7252 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | John Manwaring          | 513-759-4343             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC248   | Tier 1     | 7269 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | Yemane Gebreab          | 513-777-3992             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC249   | Tier 1     | 7272 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | David Hedge             | 513-755-7349             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC250   | Tier 1     | 7300 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | Christine Smith         | 513-777-8925             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC251   | Tier 1     | 7306 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | Tim Derosset            | 513-755-3270             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC252   | Tier 1     | 7343 Cinnamon Woods   | West Chester | Ohio   | 45069 | Bathroom      | Jennifer Breissing      | 513-779-4961             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC253   | Tier 1     | 7359 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | Evelyn Cullen           | 513-755-9468             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC254   | Tier 1     | 7369 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | Chase E. Garver Jr.     | 513-759-9715             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC255   | Tier 1     | 7419 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | Jan Gilbert             | 513-404-3901             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC256   | Tier 1     | 7479 Cinnamon Woods   | West Chester | Ohio   | 45069 | Kitchen       | Lois Bailey             | 513-779-0104             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC257   | Tier 1     | 3774 Citation Dr.     | Hamilton     | Ohio   | 45011 | Kitchen       | William Lorenz          | 513-737-5444             |                          |                    | CuPb>82       |                           | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC258   | Tier 1     | 3801 Citation Dr.     | Hamilton     | Ohio   | 45011 | Kitchen       | Paul Skirvin            |                          |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC259   | Tier 1     | 3831 Citation Dr.     | Hamilton     | Ohio   | 45011 | Kitchen       | Randall Bunger          | 513-867-8608             |                          |                    | CuPb>82       |                           | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC260   | Tier 1     | 10041 Cliffwood Ct.   | Cincinnati   | Ohio   | 45241 | Kitchen       | Julie Butz              | 513-252-3952             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC261   | Tier 1     | 10114 Cliffwood Ct.   | Cincinnati   | Ohio   | 45241 | Kitchen       | Donald Mackos           | 513-777-3557             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC262   | Tier 1     | 10124 Cliffwood Ct.   | Cincinnati   | Ohio   | 45241 | Bathroom      | Karen & Douglas Sch     | 513-312-7127             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC263   | Tier 1     | 10134 Cliffwood Ct.   | Cincinnati   | Ohio   | 45241 | Kitchen       | Penny Burke             | 513-777-4269             |                          | pburke@fuse.net    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC264   | Tier 1     | 6428 Commanche Dr.    | West Chester | Ohio   | 45069 | Kitchen       | Richard Wagoner         | 513-779-8473             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC265   | Tier 1     | 9151 Congress Ct.     | West Chester | Ohio   | 45069 | Bathroom      | Paul Maciulewicz        | 513-779-1686             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC266   | Tier 1     | 8523 Crestmont Dr.    | West Chester | Ohio   | 45069 | Kitchen       | Evelyn Deeb             | 513-759-2059             |                          |                    | CuPb>82       |                           | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC267   | Tier 1     | 5257 Crossbridge Dr.  | West Chester | Ohio   | 45069 | Kitchen       | Mark Buschur            | 513-400-7677             |                          |                    | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC268   | Tier 1     | 5281 CrossBridge Dr.  | West Chester | Ohio   | 45069 | Kitchen       | Charles Self            | 513-942-4642             |                          |                    | CuPb>82       | Copper                    | Copper                 | SFH             |
| OH0900303 | Butler Co. Water | LC269   | Tier 1     | 5369 Crossbridge Dr.  | West Chester | Ohio   | 45069 | Kitchen       | Eric Zwarg              | 513-942-0053             |                          | ezwarg@gmail.com   | CuPb>82       | Copper                    | Other                  | SFH             |
| OH0900303 | Butler Co. Water | LC270   | Tier 1     | 3561 Dawn Dr.         | Hamilton     | Ohio   | 45011 | Kitchen       | Robert Leventry         | 513-484-3321             |                          | steeler@zoomtow    | CuPb>82       |                           | Copper                 | SFH             |

|           |                          |        |                           |                  |      |       |          |                        |              |                          |  |         |        |        |     |
|-----------|--------------------------|--------|---------------------------|------------------|------|-------|----------|------------------------|--------------|--------------------------|--|---------|--------|--------|-----|
| OH0900303 | Butler Co. Water & LC271 | Tier 1 | 7719 Devonwood Dr.        | West Chester     | Ohio | 45069 | Kitchen  | Bryan & Kim Cox        | 937-638-0517 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC272 | Tier 1 | 5518 Eagle Ln.            | West Chester     | Ohio | 45069 | Kitchen  | John Whittle           | 513-777-5086 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC273 | Tier 1 | 8743 Edgeridge Dr.        | West Chester     | Ohio | 45069 | Bathroom | Gregory Wingham        | 513-777-0385 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC274 | Tier 1 | 8466 Edgeview Dr.         | West Chester     | Ohio | 45069 | Kitchen  | Hamid Samarghandi      | 513-755-9240 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC275 | Tier 1 | 7526 Fawn Meadow Ln.      | Cincinnati       | Ohio | 45241 | Kitchen  | David Prager           | 513-779-2692 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC276 | Tier 1 | 7488 Fitzroy Ct.          | Cincinnati       | Ohio | 45241 | Bathroom | William Wong           | 513-779-2691 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC277 | Tier 1 | 9606 Friar Tuck Dr.       | West Chester     | Ohio | 45069 | Kitchen  | Kevin Titus            | 513-755-8221 | titusj11@gmail.com       |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC278 | Tier 1 | 6929 Gary Lee Dr.         | West Chester     | Ohio | 45069 | Kitchen  | Robert Simpson         | 937-477-0232 | rsimpson37@yahoo.com     |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC279 | Tier 1 | 6888 Gatewood Ct.         | Cincinnati       | Ohio | 45241 | Kitchen  | William Jackson        | 513-779-0482 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC280 | Tier 1 | 6912 Gatewood Ct.         | Cincinnati       | Ohio | 45241 | Kitchen  | Linda Lutts            | 513-759-0397 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC281 | Tier 1 | 9923 Hampstead Ct.        | Cincinnati       | Ohio | 45241 | Kitchen  | Greg & Lori French     | 513-759-9591 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC282 | Tier 1 | 9943 Hampstead Ct.        | Cincinnati       | Ohio | 45241 | Kitchen  | Larry Bolt             |              |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC283 | Tier 1 | 3831 Hassfurt Dr.         | Hamilton         | Ohio | 45011 | Kitchen  | Matthew Foraker        | 513-942-6606 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC284 | Tier 1 | 3836 Hassfurt Dr.         | Hamilton         | Ohio | 45011 | Kitchen  | Merle Williams         | 513-860-4663 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC285 | Tier 1 | 3849 Hassfurt Dr.         | Hamilton         | Ohio | 45011 | Kitchen  | Caitlyn Russell        | 513-503-2629 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC286 | Tier 1 | 3875 Hassfurt Dr.         | Hamilton         | Ohio | 45011 | Kitchen  | Carl Enderwitz         | 513-942-2222 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC287 | Tier 1 | 3893 Hassfurt Dr.         | Hamilton         | Ohio | 45011 | Kitchen  | Ronald Terranova       | 513-874-1149 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC288 | Tier 1 | 5527 Heron Dr.            | West Chester     | Ohio | 45069 | Bathroom | Ralph Griffith         | 513-779-1559 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC289 | Tier 1 | 5544 Heron Dr.            | West Chester     | Ohio | 45069 | Bathroom | Jeff Romanello         | 513-673-5040 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC290 | Tier 1 | 5557 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | William Macy           | 513-349-9551 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC291 | Tier 1 | 5567 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | Patricia Harkins       | 513-777-8508 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC292 | Tier 1 | 5584 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | Brian Williams         | 513-578-3509 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC293 | Tier 1 | 5650 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | Paul Hare              | 513-779-4643 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC294 | Tier 1 | 5655 Heron Dr.            | West Chester     | Ohio | 45069 | Bathroom | John Moulton           | 513-779-0248 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC295 | Tier 1 | 5660 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | John Trinidad          | 513-761-4790 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC296 | Tier 1 | 5684 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | Karen Stevens          | 513-779-0481 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC297 | Tier 1 | 5701 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | Kevin Boveington       | 513-779-7482 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC298 | Tier 1 | 5708 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | Mark Schlotterbeck     | 513-779-9639 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC299 | Tier 1 | 5720 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | John Reinhardt         | 513-755-0756 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC300 | Tier 1 | 5723 Heron Dr.            | West Chester     | Ohio | 45069 | Kitchen  | Istvan Menyhart        | 513-315-4071 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC301 | Tier 1 | 7523 Hidden Knoll Ct.     | West Chester     | Ohio | 45069 | Bathroom | Jeff Mellon            | 513-759-4403 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC302 | Tier 1 | 6837 Hidden Ridge Dr.     | West Chester     | Ohio | 45069 | Kitchen  | Adrian Angell          | 513-755-2164 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC303 | Tier 1 | 3863 Ivywood Dr.          | Hamilton         | Ohio | 45011 | Kitchen  | James Turco            | 513-266-4079 | jturco1414@gmail.com     |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC304 | Tier 1 | 6135 Ivywood Dr.          | Hamilton         | Ohio | 45011 | Kitchen  | Kevin Lewallen         | 513-844-1888 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC305 | Tier 1 | 6179 Ivywood Dr.          | Hamilton         | Ohio | 45011 | Kitchen  | Jo Donohoue            | 513-844-1514 | Jojotheo@fuse.net        |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC306 | Tier 1 | 6189 Ivywood Dr.          | Hamilton         | Ohio | 45011 | Bathroom | Jodi Stewart           | 513-519-9232 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC307 | Tier 1 | 6200 Ivywood Dr.          | Hamilton         | Ohio | 45011 | Kitchen  | Milton Plaut           | 513-870-2271 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC308 | Tier 1 | 6225 Ivywood Dr.          | Hamilton         | Ohio | 45011 | Kitchen  | Wayne Hazelwood        | 513-868-2657 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC309 | Tier 1 | 6250 Jayfield Dr.         | Hamilton         | Ohio | 45011 | Kitchen  | Billy & Jane Payne     | 513-316-5101 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC310 | Tier 1 | 6259 Jayfield Dr.         | Hamilton         | Ohio | 45011 | Kitchen  | Stephanie Bennett      | 513-889-5027 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC311 | Tier 1 | 6279 Jayfield Dr.         | Hamilton         | Ohio | 45011 | Bathroom | Andrea Adkins          | 513-600-4832 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC312 | Tier 1 | 6289 Jayfield Dr.         | Hamilton         | Ohio | 45011 | Kitchen  | Charles Bruce          | 513-895-0080 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC313 | Tier 1 | 6355 Liberty Fairfield Rd | Hamilton         | Ohio | 45011 | Kitchen  | Sharon Stanifer        | 513-896-1168 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC314 | Tier 1 | 7276 Mallard Dr.          | West Chester     | Ohio | 45069 | Bathroom | Robert Laugel          | 513-779-2637 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC315 | Tier 1 | 7297 Mallard Dr.          | West Chester     | Ohio | 45069 | Kitchen  | Michael Bollinger      | 513-678-0557 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC316 | Tier 1 | 5678 McCarthy Ct.         | West Chester     | Ohio | 45069 | Kitchen  | Andrew Hoffman         | 513-368-9286 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC317 | Tier 1 | 5717 McCarthy Ct.         | West Chester     | Ohio | 45069 | Kitchen  | John McCloy            | 513-779-0536 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC318 | Tier 1 | 5757 McCarthy Ct.         | West Chester     | Ohio | 45069 | Kitchen  | Joel & Dana Morgan     | 513-759-2946 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC319 | Tier 3 | 7213 Millikin Rd.         | Middletown       | Ohio | 45044 | Kitchen  | Steve Sidle            | 513-759-2202 |                          |  | CuPb>83 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC320 | Tier 1 | 7460 Millikin Rd.         | Liberty Township | Ohio | 45044 | Kitchen  | Donald Bruno           | 513-779-0108 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC321 | Tier 1 | 9395 Minuteman Way        | West Chester     | Ohio | 45069 | Kitchen  | Randall Bunn           | 513-777-5622 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC322 | Tier 1 | 6785 Netherland Ct.       | Middletown       | Ohio | 45044 | Kitchen  | Joan Lawrence          | 513-252-9789 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC323 | Tier 1 | 7821 New Brunswick        | Cincinnati       | Ohio | 45241 | Bathroom | Douglass Reed          | 513-779-8368 | paulareed@earthlink.net  |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC324 | Tier 1 | 7872 New Brunswick        | Cincinnati       | Ohio | 45241 | Bathroom | Mary Herrmann          | 513-777-0366 | mary.herrmann2@gmail.com |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC325 | Tier 1 | 7965 New Brunswick        | Cincinnati       | Ohio | 45241 | Kitchen  | Todd Flath             | 513-512-8652 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC326 | Tier 1 | 8008 New Brunswick        | Cincinnati       | Ohio | 45241 | Kitchen  | Robert Minor           | 513-779-7748 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC327 | Tier 1 | 5767 New Castle Dr.       | West Chester     | Ohio | 45069 | Kitchen  | Gretchen Gantner-Rosen | 513-777-9962 | GRoose1876@aol.com       |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC328 | Tier 1 | 3732 Niemoeller Dr.       | Hamilton         | Ohio | 45011 | Kitchen  | Jill Dulgeroff         | 865-548-8517 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC329 | Tier 1 | 3802 Niemoeller Dr.       | Hamilton         | Ohio | 45011 | Bathroom | Doug Luneke            | 937-657-8425 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC330 | Tier 1 | 3822 Niemoeller Dr.       | Hamilton         | Ohio | 45011 | Kitchen  | Kevin Shaffer          | 513-874-8804 | lshaffer22@hotmail.com   |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC331 | Tier 1 | 3881 Niemoeller Dr.       | Hamilton         | Ohio | 45011 | Kitchen  | Danny & Corryn Mor     | 513-942-8757 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC332 | Tier 1 | 6371 North Windwood       | West Chester     | Ohio | 45069 | Bathroom | Bryan Smith            | 513-265-1124 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC333 | Tier 1 | 6393 North Windwood       | West Chester     | Ohio | 45069 | Kitchen  | Mark Mason             | 513-777-2937 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC334 | Tier 1 | 6597 North Windwood       | West Chester     | Ohio | 45069 | Bathroom | Gordon Cribbs          |              |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC335 | Tier 1 | 6612 North Windwood       | West Chester     | Ohio | 45069 | Kitchen  | Steven Amberger        | 513-383-3067 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC336 | Tier 1 | 5945 Old Forest Ln.       | West Chester     | Ohio | 45069 | Bathroom | Kiyoung Chung          | 513-874-2089 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC337 | Tier 1 | 6762 Old Station Dr.      | West Chester     | Ohio | 45069 | Kitchen  | Allen Avramovich       | 513-779-4452 | avr7796762@aol.com       |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC338 | Tier 1 | 6839 Old Station Dr.      | West Chester     | Ohio | 45069 | Bathroom | Mark Beckner           | 513-348-7149 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC339 | Tier 1 | 8412 Paul Dr.             | West Chester     | Ohio | 45069 | Bathroom | Vincent Eyorokon       | 513-777-6350 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC340 | Tier 1 | 6954 Plumwood Ct.         | Cincinnati       | Ohio | 45241 | Kitchen  | Steve Barrow           | 513-779-2673 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC341 | Tier 1 | 6966 Plumwood Ct.         | Cincinnati       | Ohio | 45241 | Kitchen  | Marty & Chris Limber   | 513-779-6730 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC342 | Tier 1 | 7378 Preakness Ln.        | Hamilton         | Ohio | 45011 | Kitchen  | Jeff & Laura Hicks     | 513-265-3669 | laura@limagery.com       |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC343 | Tier 1 | 3783 Rivaridge Dr.        | Hamilton         | Ohio | 45011 | Kitchen  | Cynthia Hosmer         | 607-329-0316 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC344 | Tier 1 | 7422 Rodney Ct.           | Cincinnati       | Ohio | 45241 | Kitchen  | Brian Kaske            | 513-984-1619 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC345 | Tier 1 | 7432 Rodney Ct.           | Cincinnati       | Ohio | 45241 | Kitchen  | Bhavesht Patel         | 513-759-2563 |                          |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC346 | Tier 1 | 7471 Rodney Ct.           | Cincinnati       | Ohio | 45241 | Bathroom | Jeremy Basham          | 513-258-6916 | basham.jr@pg.com         |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC347 | Tier 1 | 5686 Sage Meadow          | West Chester     | Ohio | 45069 | Kitchen  | Matthew Kollstedt      | 859-640-1161 |                          |  | CuPb>82 | Copper | Copper | SFH |
| OH0900303 | Butler Co. Water & LC348 | Tier 1 | 3927 Schroeder Ct.        | Hamilton         | Ohio | 45011 | Kitchen  | Steven Coffey          | 513-860-5266 | anitacoffey414@yahoo.com |  | CuPb>82 | Copper | Other  | SFH |
| OH0900303 | Butler Co. Water & LC349 | Tier 1 | 7566 Schroeder Ct.        | Hamilton         | Ohio | 45011 | Kitchen  | Doug Smith             | 513-942-7566 |                          |  | CuPb>82 | Copper | Copper | SFH |

|           |                          |        |                           |              |      |       |          |                       |              |                       |  |         |        |        |      |
|-----------|--------------------------|--------|---------------------------|--------------|------|-------|----------|-----------------------|--------------|-----------------------|--|---------|--------|--------|------|
| OH0900303 | Butler Co. Water & LC350 | Tier 1 | 7606 Schroeder Ct.        | Hamilton     | Ohio | 45011 | Kitchen  | Allyson & Adam Ritz   |              |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC351 | Tier 1 | 3848 Schroeder Dr.        | Hamilton     | Ohio | 45011 | Kitchen  | Roy & Peggy Felty     | 513-874-0841 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC352 | Tier 1 | 6905 Sequoia Ct.          | Mason        | Ohio | 45040 | Kitchen  | Robert Troeschler     | 513-398-2722 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC353 | Tier 1 | 6402 Shannon Dr.          | Hamilton     | Ohio | 45011 | Kitchen  | Mark Stollenwerk      | 513-844-1475 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC354 | Tier 1 | 5242 Silverwood Ct.       | West Chester | Ohio | 45069 | Kitchen  | Jeff Ogle             | 513-300-3619 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC355 | Tier 1 | 5245 Silverwood Ct.       | West Chester | Ohio | 45069 | Kitchen  | Carrie Bright         |              |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC356 | Tier 1 | 5248 Silverwood Ct.       | West Chester | Ohio | 45069 | Bathroom | Joel Barrett          | 937-383-0006 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC357 | Tier 1 | 5273 Silverwood Ct.       | West Chester | Ohio | 45069 | Bathroom | John Monroe           | 513-896-4530 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC358 | Tier 1 | 4418 Squaw Valley Dr.     | Hamilton     | Ohio | 45011 | Kitchen  | Mark & Kinda Snider   | 513-856-7792 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC359 | Tier 1 | 4448 Squaw Valley Dr.     | Hamilton     | Ohio | 45011 | Kitchen  | Pat Dammarell         |              |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC360 | Tier 1 | 4449 Squaw Valley Dr.     | Hamilton     | Ohio | 45011 | Kitchen  | Jeff & Kristen Foley  | 513-505-7101 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC361 | Tier 1 | 4462 Squaw Valley Dr.     | Hamilton     | Ohio | 45011 | Kitchen  | William Heitfeld      | 513-896-4395 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC362 | Tier 1 | 8122 Squirrel Hollow Rd   | West Chester | Ohio | 45069 | Kitchen  | Joseph Zahneis        | 513-777-0419 | jzahneis@cinci.rr.c   |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC363 | Tier 1 | 7305 Steppingstone Pl.    | Middletown   | Ohio | 45044 | Kitchen  | Lakme Kodros          | 513-755-7811 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC364 | Tier 1 | 7229 Stonebrook Ct.       | Middletown   | Ohio | 45044 | Kitchen  | Kevin Harrison        | 513-779-6423 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC365 | Tier 1 | 5249 Tasselberry Dr.      | West Chester | Ohio | 45069 | Kitchen  | Paul & Karen Kellogg  | 513-844-2770 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC366 | Tier 1 | 5301 Tasselberry Dr.      | West Chester | Ohio | 45069 | Kitchen  | Silas Kelly           | 513-559-5440 | silaskelley@hotmail.c |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC367 | Tier 1 | 7655 Timbermist Ct.       | Cincinnati   | Ohio | 45241 | Kitchen  | Michael Turner        | 513-779-6057 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC368 | Tier 1 | 6544 Timberwolf Ct.       | West Chester | Ohio | 45069 | Kitchen  | Ron Porter            | 513-779-2573 | jag_porter@fuse.n     |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC369 | Tier 1 | 6750 Timberwood Dr.       | West Chester | Ohio | 45069 | Kitchen  | Terry Reddington      | 513-779-1430 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC370 | Tier 1 | 6848 Trestle Dr.          | West Chester | Ohio | 45069 | Kitchen  | Ruth Wacker           | 513-678-8809 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC371 | Tier 1 | 6857 Trestle Dr.          | West Chester | Ohio | 45069 | Kitchen  | James Wimmers         | 513-777-5575 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC372 | Tier 1 | 6866 Trestle Dr.          | West Chester | Ohio | 45069 | Kitchen  | Robert Fronk          |              |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC373 | Tier 1 | 6873 Trestle Dr.          | West Chester | Ohio | 45069 | Kitchen  | Mark Ruter            | 513-383-4744 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC374 | Tier 1 | 6876 Trestle Dr.          | West Chester | Ohio | 45069 | Kitchen  | Vern Johnson          | 513-779-0828 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC375 | Tier 1 | 6879 Trestle Dr.          | West Chester | Ohio | 45069 | Bathroom | Saran Soonthornsaw    | 513-779-3882 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC376 | Tier 1 | 6899 Trestle Dr.          | West Chester | Ohio | 45069 | Kitchen  | Mark Haumesser        | 513-777-1530 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC377 | Tier 1 | 6921 Whistlestop Ct.      | West Chester | Ohio | 45069 | Kitchen  | Richard Knudsen       | 513-777-4876 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC378 | Tier 1 | 6924 Whistlestop Ct.      | West Chester | Ohio | 45069 | Kitchen  | Charles Gaw           | 513-777-4171 | gaw.anne@yahoo.       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC379 | Tier 1 | 6937 Whistlestop Ct.      | West Chester | Ohio | 45069 | Kitchen  | James Curry Jr.       | 513-779-0575 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC380 | Tier 1 | 7687 Whitehall Circle Ea  | West Chester | Ohio | 45069 | Kitchen  | Neil Defevers         | 513-368-7446 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC381 | Tier 1 | 6468 Wilderness Trail     | West Chester | Ohio | 45069 | Kitchen  | Donneitta Morrison    | 513-755-1691 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC382 | Tier 1 | 6662 Windmill Dr.         | Middletown   | Ohio | 45044 | Bathroom | Steven Fowler         | 513-703-6242 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC383 | Tier 1 | 6582 Windwood             | West Chester | Ohio | 45069 | Kitchen  | James Ellsworth       | 513-777-0524 | maurells1@gmail.c     |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC384 | Tier 1 | 7673 Windy Knoll Dr.      | Cincinnati   | Ohio | 45241 | Kitchen  | Jennifer Kenny        | 513-683-3101 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC385 | Tier 1 | 7373 Woodcroft Dr.        | Cincinnati   | Ohio | 45241 | Kitchen  | Larry Ziegler         | 513-779-3390 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC386 | Tier 1 | 7483 Woodcroft Dr.        | Cincinnati   | Ohio | 45241 | Kitchen  | Steve Etter           | 513-262-8616 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC387 | Tier 1 | 7484 Woodcroft Dr.        | Cincinnati   | Ohio | 45241 | Bathroom | Anand Venkitaraman    | 513-779-2253 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC388 | Tier 1 | 7497 Woodcroft Dr.        | Cincinnati   | Ohio | 45241 | Kitchen  | Richard Duggan        | 513-779-6808 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC389 | Tier 1 | 5803 Woodthrush           | West Chester | Ohio | 45069 | Kitchen  | Jason Oman            | 269-599-1691 |                       |  | CuPb>82 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC390 | Tier 1 | 5700 Zaring Dr.           | West Chester | Ohio | 45069 | Kitchen  | Janet Fleischer       | 513-847-0221 | druckde@cinci.rr.c    |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC391 | Tier 1 | 5712 Zaring Dr.           | West Chester | Ohio | 45069 | Kitchen  | Kevin Rankey          | 513-779-1648 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC392 | Tier 1 | 5724 Zaring Dr.           | West Chester | Ohio | 45069 | Bathroom | Mary Kindberg         | 513-779-8068 | ckindberg@cinci.rr    |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC393 | Tier 1 | 5736 Zaring Dr.           | West Chester | Ohio | 45069 | Kitchen  | Richard Shively       | 513-779-6171 | ricks5736@gmail.c     |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC394 | Tier 1 | 5746 Zaring Dr.           | West Chester | Ohio | 45069 | Kitchen  | Matt Wehby            | 513-519-9383 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC395 | Tier 1 | 5756 Zaring Dr.           | West Chester | Ohio | 45069 | Kitchen  | Kate Beckstedt        |              |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC396 | Tier 1 | 5761 Zaring Dr.           | West Chester | Ohio | 45069 | Kitchen  | Mark Watkins          | 513-777-9646 | markwatkins@fuse      |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC397 | Tier 1 | 5811 Zaring Dr.           | West Chester | Ohio | 45069 | Bathroom | Robert Corsmeier      | 513-759-0431 |                       |  | CuPb>82 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC398 | Tier 2 | 9137 Cincinnati- Colum    | West Chester | Ohio | 45069 | Kitchen  | Munafos Plaza         |              |                       |  | CuPb>82 | Copper | Other  | BLDG |
| OH0900303 | Butler Co. Water & LC399 | Tier 2 | 9324 Cincinnati- Colum    | Cincinnati   | Ohio | 45241 | Kitchen  | REI LLC               | 513-523-6900 |                       |  | CuPb>82 | Copper | Other  | BLDG |
| OH0900303 | Butler Co. Water & LC400 | Tier 2 | 9113 Cincinnati Dayton    | West Chester | Ohio | 45069 | Kitchen  | West Chester Twp. T   | 513-777-5900 | mhunkler@westch       |  | CuPb>82 | Copper | Copper | BLDG |
| OH0900303 | Butler Co. Water & LC402 | Tier 2 | 7900 Cox Rd.              | West Chester | Ohio | 45069 | Kitchen  | Partners in Prime     | 513-867-1998 |                       |  | CuPb>82 | Copper | Other  | BLDG |
| OH0900303 | Butler Co. Water & LC403 | Tier 2 | 4110 Hamilton Middle      | Hamilton     | Ohio | 45011 | Kitchen  | Butler Metro Housing  | 513-896-4411 |                       |  | CuPb>82 | Copper | Other  | BLDG |
| OH0900303 | Butler Co. Water & LC404 | Tier 3 | 4434 Aspen Dr.            | Hamilton     | Ohio | 45011 | Bathroom | Wayne & Ann Freeman   |              |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC405 | Tier 3 | 10139 Bolingbroke Dr.     | Cincinnati   | Ohio | 45241 | Bathroom | Chad & Katie Rogers   | 614-638-0363 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC406 | Tier 3 | 4 Cassandra Ct.           | Hamilton     | Ohio | 45011 | Kitchen  | Clarence Michael      | 513-896-6264 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC407 | Tier 3 | 6181 Chablis Dr.          | Hamilton     | Ohio | 45011 | Bathroom | Allison Fry           | 513-608-2277 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC408 | Tier 3 | 7379 Cinnamon Woods       | West Chester | Ohio | 45069 | Kitchen  | Arthur Wong           | 513-779-2316 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC409 | Tier 3 | 10081 Cliffwood Ct.       | Cincinnati   | Ohio | 45241 | Kitchen  | Mark Ollier           | 513-779-8166 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC410 | Tier 3 | 5249 Crossbridge Dr.      | West Chester | Ohio | 45069 | Kitchen  | Lina Moreno           | 513-860-2033 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC411 | Tier 3 | 5276 Crossbridge Dr.      | West Chester | Ohio | 45069 | Kitchen  | Ethan Kroger          | 937-304-4966 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC412 | Tier 3 | 3865 Elenor Dr.           | Hamilton     | Ohio | 45011 | Kitchen  | Paul Linville         | 513-893-1344 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC413 | Tier 3 | 3891 Elenor Dr.           | Hamilton     | Ohio | 45011 | Kitchen  | Karla Gumm            | 513-593-0440 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC414 | Tier 3 | 5732 Heron Dr.            | West Chester | Ohio | 45069 | Kitchen  | Scott Krawec          | 513-593-2364 | kgumm@cinci.rr.c      |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC415 | Tier 3 | 8093 Lawrence Dr.         | West Chester | Ohio | 45069 | Kitchen  | William Gamble        | 513-777-8110 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC416 | Tier 3 | 5914 Liberty Fairfield Rd | Hamilton     | Ohio | 45011 | Bathroom | Norvel Zimmermann     | 513-779-0594 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC417 | Tier 3 | 5861 Mindy Dr.            | Hamilton     | Ohio | 45011 | Kitchen  | Bill Harmon           | 513-894-7892 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC418 | Tier 3 | 5881 Mindy Dr.            | Hamilton     | Ohio | 45011 | Kitchen  | Mary & Thomas Heil    | 513-895-1434 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC419 | Tier 3 | 5930 Mindy Dr.            | Hamilton     | Ohio | 45011 | Kitchen  | James Hymer           | 513-856-7909 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC420 | Tier 3 | 5942 Mindy Dr.            | Hamilton     | Ohio | 45011 | Kitchen  | Terry Moore           | 513-863-4945 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC421 | Tier 3 | 5968 Mindy Dr.            | Hamilton     | Ohio | 45011 | Kitchen  | Michael Bottom        | 513-615-6292 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC422 | Tier 3 | 7665 Monarch Ct.          | West Chester | Ohio | 45069 | Kitchen  | Ed Drohan             | 513-777-8300 |                       |  | CuPb<83 | Copper | Other  | BLDG |
| OH0900303 | Butler Co. Water & LC423 | Tier 3 | 3842 Niemoeller           | Hamilton     | Ohio | 45011 | Kitchen  | Dale Baumann          | 513-860-5615 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC424 | Tier 3 | 5826 Penelope Dr.         | Hamilton     | Ohio | 45011 | Kitchen  | David McKain          | 513-887-6755 | lisamckain@juno.c     |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC425 | Tier 3 | 5933 Penelope Dr.         | Hamilton     | Ohio | 45011 | Kitchen  | Thomas Stowell        | 513-315-0704 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC426 | Tier 3 | 5956 Penelope Dr.         | Hamilton     | Ohio | 45011 | Kitchen  | Patty Mathis          | 513-856-8019 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC427 | Tier 3 | 5130 Princeton Glendal    | Hamilton     | Ohio | 45011 | Kitchen  | Physicians Choice     | 513-844-1608 |                       |  | CuPb<83 | Copper | Copper | SFH  |
| OH0900303 | Butler Co. Water & LC428 | Tier 3 | 7568 Princeton Rd.        | Middletown   | Ohio | 45044 | Kitchen  | Lindvest Limited Part | 513-396-8833 |                       |  | CuPb<83 | Copper | Other  | SFH  |
| OH0900303 | Butler Co. Water & LC430 | Tier 3 | 7642 Princeton Rd.        | Middletown   | Ohio | 45044 | Kitchen  | Connie Back           | 513-777-3559 |                       |  | CuPb<83 | Copper | Copper | SFH  |




























# LEGEND

- HOMES BUILT IN OR BEFORE 1998
- HOMES BUILT BETWEEN 1999 AND 2013
- HOMES BUILT IN OR AFTER 2014
- BUTLER CO. ROADS
- WARREN CO. ROADS



BUTLER COUNTY WATER AND SEWER  
PREPARED WITH BEST AVAILABLE INFORMATION  
FOR INFORMATIONAL PURPOSES ONLY  
NOT INTENDED FOR USE AS A SURVEY  
BUTLER COUNTY, OHIO  
DATE PREPARED: 12-02-2016



1 inch = 1,850 feet







# Hamilton, Ohio




## Water Service Information Map

The purpose of this map is to exhibit the general time frame that City of Hamilton residential structures were built in order to determine the likelihood of the presence of lead in water lines

- Structure Build Date**
-  In or Before 1997
  -  Between 1998 and 2013
  -  In or After 2014
  -  Unknown



**Disclaimer:** This map is based on historic data of which the accuracy cannot be guaranteed. This data should be used for reference only and should not be used for any legal or commercial purposes. The intent of this map is to provide Hamilton residents the best available data concerning their water services and will be updated as more information becomes available. The City of Hamilton reserves the right to alter and amend the display of this data.





Founded 1791

**Department of Underground  
Utilities**

City of Hamilton, OH  
345 High Street  
Hamilton, OH 45011  
Telephone 513 785-7206  
FAX 513 785-7203  
www.hamilton-city.org

---

February 27, 2017

Ohio EPA  
Division of Drinking & Ground Waters  
Southwest District Office  
401 E. Fifth Street  
Dayton, Ohio 45402

RE: City of Hamilton Water Distribution - Lead Mapping in System

Dear Mr. Dan Cloyd,

The City of Hamilton has a distribution system with well over 340 miles of water mains ranging in size from 2" up through 36" pipe. The system has over 4,300 valves and 2,600 fire hydrants. The City of Hamilton water distribution system has six different pressure zones to compensate for the differences in elevation. The City of Hamilton has two Water Treatment Plants, two underground reservoirs, four elevated storage tanks, one water standpipe, six booster stations, and four pressure reducing vaults. The City of Hamilton also supplies water to most of the residents of eastern Butler County. The City of Hamilton Water Production produced an average of 15.176 million gallons per day in 2016 to serve a population of approximately 160,000 people. The Water Production and Water Distribution Divisions are part of the Department of Underground Utilities.

The Underground Utilities Department has produced a map of the water distribution system, in an attempt to identify the likelihood of piping, solder or fixtures within the service area that may contain lead. Please note that our map only includes customers within the City of Hamilton, and not the portions of Butler County receiving Hamilton Water. A link to the completed map is below.

The guidance document provided by the Ohio EPA's Division of Drinking & Ground Waters provided support for the creation of our map, to ensure compliance with House Bill 512 and Section 6109.121 of the Ohio Revised Code; effective in June of 2016. The attached map includes three (3) different colored parcels, indicating the potential of lead piping, solder or fixtures within the buildings. Per the Ohio EPA guidance document, the age of the building was used as the primary indicator of lead content. In general, the yellow parcels have the highest potential for lead, the grey parcels have moderate potential, and the green parcels have the lowest potential. See below for more details of each category:



Founded 1791

**Department of Underground  
Utilities**

City of Hamilton, OH  
345 High Street  
Hamilton, OH 45011  
Telephone 513 785-7206  
FAX 513 785-7203  
www.hamilton-city.org

| Date Range                                  | Rules & Regulations  | Parcel Color |
|---|--|--------------|
| 1997 - Homes built in or before             | The Safe Drinking Water Act (SWDA) was amended to ban lead (1986); effective in Ohio Plumbing Code in 1998 | Yellow       |
| 1998 - 2013 - Homes built within this range | Ohio Plumbing Code revised per SWDA standards. "Lead-free" was defined as no more than 8% lead.            | Grey         |
| 2014 - Homes built in or after              | SWDA amendments, effective 1/1/14 that changed definition of "lead-free" to 0.25% or less                  | Green        |

Within the City of Hamilton, there are approximately 47,333 total water service connections. In reviewing existing records, 23,771 of those service connections are on the private (customer) side. The Underground Utilities Department maintains approximately 23,562 service connections on the public (street) side. Below is a summary of known information regarding material, to date:

Total Private Service Lines = 23,771

Cast Iron = 3  
Clay = 1  
Copper = 2,914  
Ductile Iron = 62  
Lead = 149  
Polyethylene = 178  
Polyvinyl Chloride = 1  
Steel = 2  
Unknown\* = 20,461

Total Public Service Lines = 23,562

Cast Iron = 1  
Copper = 4,431  
Ductile Iron = 43  
Lead = 51  
Polyethylene = 1,038  
Unknown\* = 17,998

\*The Underground Utilities Department will continue efforts to review service and maintenance records, collect more current data, and update maps and documentation with the best available information. The Department is confident that the majority of the unknown lines, especially on the public side, have been replaced with copper. In evaluating the service lines (both public and private) known to be lead, almost all are located within the 817 System, which is the oldest section of the City's distribution system. Concentrated areas of known lead lines are within residential areas in the southeastern portion of the City, adjacent Parkamo Avenue; and also within residential and commercial areas in the west-central portion of the City adjacent N. F and D Streets. It is possible that additional lead service lines remain installed in these areas and others throughout the City. All updated information will be included as it becomes available.



Founded 1791

**Department of Underground  
Utilities**

City of Hamilton, OH  
345 High Street  
Hamilton, OH 45011  
Telephone 513 785-7206  
FAX 513 785-7203  
www.hamilton-city.org

The enclosed map has been provided to the Ohio Department of Health and the Ohio Department of Job & Family Services, per the Ohio EPA guidance document. An electronic copy has also been posted to the City of Hamilton's website, where water customers can search by address to identify the potential for lead in their water. Links for additional information and resources regarding lead have been provided to our customers within the electronic map (see below).

With any questions or concerns regarding this letter or the attached map, please feel free to contact me at 513-785-7095.

Sincerely,

*Steve R. Eberts*

Steve R. Eberts  
Environmental Compliance Specialist

cc: Kevin Maynard, Director of Public Utilities  
Dwight Culbertson, Director of Underground Utilities  
John Bui, Superintendent of Water Production  
Andy Flum, Superintendent of Gas & Water Distribution  
David Jenkins, Supervisor of Water Production & Reclamation Operations

**Link to Online Map Shared with Water Customers:**

<http://cohoio.maps.arcgis.com/apps/webappviewer/index.html?id=eae334c106624af08ba532b799852ffc>

**Additional Information Provided to Water Customers:**

<https://www.epa.gov/lead/learn-about-lead>  
(U.S. EPA, "Learn About Lead" - Health Effects)

<http://www.epa.state.oh.us/Portals/28/documents/labcert/Chemical%20Labs.pdf>  
(Ohio EPA, Certified Commercial Labs to Perform Lead Testing)

<https://www.epa.gov/dwstandardsregulations/use-lead-free-pipes-fittings-fixtures-solder-and-flux-drinking-water>  
(U.S. EPA, Standards & Regulations - Use of Lead Free Pipes)