



Legend:

- Water Main
- 6" Size of Main
- Fire Hydrant
- Water Valve, Curb Stop, & Meter Pit

2017
Lakeview
Water
Mapping

VILLAGE OF LAKEVIEW
LOGAN COUNTY
PWS # 4601512
P.O.BOX 197
LAKEVIEW, OHIO 43331
LEAD AND COPPER NARATIVE

LAKEVIEW'S PUBLIC WATER SYSTEM WAS INSTALLED IN THE 1920 TO 1930 TIME FRAME.

CERTAIN AREA'S OF THE VILLAGE HAS BEEN FOUND TO HAVE LEAD SERVICE LINES. (THESE AREA'S ARE MARKED OUT ON THE NEW SYSTEM MAPS)

THE NEW WATER SYSTEM MAP SHOWS AREA'S AS TYPICAL POTENTIAL LEAD SERVICE LINE AREA.

THESE AREA'S WERE DESIGNATED BECAUSE OF LEAD LINES BEING LOCATED WHILE WORKING ON THE WATERLINES IN THOSE AREAS.

OTHER AREAS THAT ORIGINALLY HAD CAST IRON MAINS AND LEAD SERVICE LINES HAS BEEN REPLACED WITH C900 PVC MAINS AND COPPER SERVICE LINES.

WHEN VILLAGE CREWS DISCOVER LEAD SERVICE LINES THEY ARE REPLACED WITH PLACTIC OR COPPER LINE. Because it is practically impossible to determine the lead content of an installed fixture, fitting or pipe, it should be assumed that the manufacture or installation date is the primary indicator of the lead content. Therefore, t he characteristics of buildings and piping solder or fixtures would be buildings in Ohio built prior to 1998 or that use plumbing material or solder manufactured before 1998 may have materials with greater than 8% lead and are at a higher risk of contributing lead to the drinking water than materials manufactured after 1998. In addition, buildings built and plumbing materials manufactured after 2014 were

required to have less than 0.25% lead by weight and have the lowest risk for contributing lead to the drinking water. It should be noted however that, although prohibited, some use of leaded solder or leaded components may have occurred after the prohibitions became effective.

THE VILLAGE ALSO HAS A CORROSION CONTROL PROGRAMS IN PLACE. AND RESULTS ARE MAINTAINED ON A QUARTERLY BASES.

A LIST OF LEAD AND COPPER SAMPLE SITES IS ATTACHED.