



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

APRIL 28, 2017

Mr. Nathan Taylor
Republic Services, Inc.
5131 Drinkle Road
Amanda, OH 43102

Re: **Fairfield Sanitary Landfill
Director's Authorization
Approval
Municipal Solid Waste Landfills
Fairfield County
MSWL020013**

Ohio EPA APR 28 '17
Entered Directors Journal

**Subject: Fairfield Sanitary Landfill, Fairfield County
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(2) Approval**

Dear Mr. Taylor:

On March 22, 2017, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Central District Office (CDO) received a request, dated March 17, 2017, titled "Request for Director's Approval to Delete EDB and DBCP". The document was submitted in accordance with OAC Rule 3745-27-10(D)(2) by Republic Services, Inc., on behalf of Fairfield Sanitary Landfill, and requested to remove 1,2-Dibromo-3-chloropropane (DBCP) and 1,2-Dibromoethane (EDB) from the list of Appendix I ground water monitoring parameters to be analyzed in monitoring wells at Fairfield Sanitary Landfill (Facility) located at 5131 Drinkle Road Amanda, Ohio.

Pursuant to OAC Rule 3745-27-10(D)(2), the owner or operator of a sanitary landfill facility may propose in writing to delete any of the Appendix I parameters monitored to meet the requirements of paragraphs (D)(5) to (D)(7) of OAC Rule 3745-27-10. The Director of Environmental Protection may approve an alternative list of monitoring parameters if the removed parameters are not reasonably expected to be in or derived from the waste contained or deposited in the sanitary landfill facility. Upon approval, the owner or operator may use the alternative list.

I have reviewed the applicable information and approve the alternative list removing DBCP and EDB from further ground water monitoring at the Facility. The Facility shall continue monitoring all wells in the monitoring system for the remaining parameters listed in Appendix I in accordance with OAC Rule 3745-27-10, unless otherwise authorized by Ohio EPA.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Nathan Taylor
Republic Services, Inc.
Page 2

Environmental Review Appeals Commission
77 South High St., 17th Floor
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Allan Hurtt of Ohio EPA, CDO at (614) 728-3889.

Sincerely,



Isaac A. Robinson III
Chief, Central District Office
for Craig W. Butler
Director, Ohio EPA

e: Connie Livchak, DMWM, CDO
Scott Hester, DMWM, CO
Jennifer Valentine, Fairfield County Health Department
Sarah Byerly, DDAGW, CDO