



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Craig W. Butler, Director

**MAY 10, 2017**

Crawford County Board of Commissioners  
Crawford County Courthouse  
112 East Mansfield Street  
Bucyrus, Ohio 44820

and

Mr. Gary Adkins  
Santek Environmental  
5128 Lincoln Highway East  
Bucyrus, Ohio 44820

Re: Crawford County Landfill  
Director's Authorization  
Approval  
Municipal Solid Waste Landfills  
Crawford County  
MSWL018774

Ohio EPA MAY 10 '17  
Entered Directors Journal

**Subject: Crawford County Landfill, Crawford County  
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(2) Approval**

Dear Commissioners and Mr. Adkins:

On March 29, 2017, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Northwest District Office (NWDO), received a request, dated March 28, 2017, titled "*1,2-Dibromomethane and 1,2-Dibromo-3-Chloropropane Ground Water Demonstration*". The document was submitted in accordance with OAC Rule 3745-27-10(D)(2) by Mannik and Smith Group, Inc., on behalf of owner/operator, and requested to remove 1,2-Dibromo-3-chloropropane (DBCP) and 1,2-Dibromoethane (EDB) from the list of Appendix I ground water monitoring parameters to be analyzed in monitoring wells at Crawford County landfill (Facility) located at 5128 Lincoln Highway East, Bucyrus, Ohio.

Pursuant to OAC Rule 3745-27-10(D)(2), the owner or operator of a sanitary landfill facility may propose in writing to delete any of the Appendix I parameters monitored to meet the requirements of paragraphs (D)(5) to (D)(7) of OAC Rule 3745-27-10. The Director of Environmental Protection may approve an alternative list of monitoring parameters if the removed parameters are not reasonably expected to be in or derived from the waste contained or deposited in the sanitary landfill facility. Upon approval, the owner or operator may use the alternative list.

I have reviewed the applicable information and approve the alternative list removing DBCP and EDB from further ground water monitoring at the Facility. The Facility shall continue monitoring all wells in the monitoring system for the remaining parameters listed in Appendix I in accordance with OAC Rule 3745-27-10, unless otherwise authorized by Ohio EPA.

Crawford County Board of Commissioners  
Mr. Gary Adkins  
Page 2

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio". The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
30 East Broad Street, 4<sup>th</sup> Floor  
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Susan Hardy of Ohio EPA, NWDO at (419) 373-3043.

Sincerely,



Shannon Nabors,  
Chief, Northwest District Office  
for Craig W. Butler  
Director, Ohio EPA

/mrf

ec: Steve Jozwiak, Crawford County Health Department  
Eric Van Heyde, Mannik & Smith Group, Inc.  
Ron Vail, Santek Environmental  
Pete Sokoloski, DDAGW-NWDO  
Mike Reiser, DMWM-NWDO  
Ken Brock, DDAGW-NWDO  
Ned O'Laughlin, DMWM-NWDO

id: 5-16273