



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Craig W. Butler, Director

JUNE 15, 2017

Mr. Joe Balog  
Norton Environmental  
6055 Rockside Woods Blvd., Ste. 100  
Independence, OH 44131

**Re: Royalton Road Sanitary Landfill  
Director's Authorization  
Approval  
Municipal Solid Waste Landfills  
Cuyahoga County  
MSWL018768**

Ohio EPA JUN 15 '17  
Entered Directors Journal

**Subject: Royalton Road Sanitary Landfill, Cuyahoga County  
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(2) and 3745-27-10(E)(4) Approval**

Dear Mr. Balog:

On March 16, 2017, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Northeast District Office (NEDO) received a request, dated March 15, 2017, titled "Request for Director's Approval to Delete EDB and DBCP, OAC 3745-27-10(D)(2)(b) and (E)(4)(g) Demonstration." The document was submitted in accordance with Ohio Administrative Code (OAC) Rule 3745-27-10(D)(2) by Eagon & Associates, Inc. (Eagon), on behalf of Norton Construction Company, and requested to remove 1,2-Dibromo-3-chloropropane (DBCP) and 1,2-Dibromoethane (EDB) from the list of Appendix I ground water monitoring parameters to be analyzed in monitoring wells at Royalton Road Sanitary Landfill (Facility), located at 3401 E. Royalton Rd., Broadview Heights, Ohio.

Pursuant to OAC Rules 3745-27-10(D)(2) and (E)(4), the owner or operator of a sanitary landfill facility may propose in writing to delete any of the Appendix I or Appendix II parameters monitored to meet the ground water detection and assessment monitoring requirements of paragraphs (D) and (E) of OAC Rule 3745-27-10. The Director of Environmental Protection may approve an alternative list of monitoring parameters if the removed parameters are not reasonably expected to be in or derived from the waste contained or deposited in the sanitary landfill facility. Upon approval, the owner or operator may use the alternative list.

I have reviewed the applicable information and approve the alternative list removing DBCP and EDB from further detection and assessment ground water monitoring at the Facility. The Facility shall continue monitoring all wells in the monitoring system for the remaining parameters listed in Appendix I and Appendix II in accordance with OAC Rule 3745-27-10, unless otherwise authorized by Ohio EPA.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
30 East Broad Street, 4<sup>th</sup> Floor  
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Joshua Adams of Ohio EPA, NEDO at (330) 963-1103.

Sincerely,



Kurt M. Princic  
Chief, Northeast District Office  
for Craig W. Butler  
Director, Ohio EPA

KMP:JA:cla

ec: Jarnal Singh, Ohio EPA, NEDO, DMWM, [jarnal.singh@epa.ohio.gov](mailto:jarnal.singh@epa.ohio.gov)  
Rich Kurlich, Ohio EPA, NEDO, DDAGW, [rich.kurlich@epa.ohio.gov](mailto:rich.kurlich@epa.ohio.gov)  
Scott Hester, Ohio EPA, Central Office, DMWM, [scott.hester@epa.ohio.gov](mailto:scott.hester@epa.ohio.gov)  
Dane Tussel, Cuyahoga County Board of Health, [dtussel@ccbh.net](mailto:dtussel@ccbh.net)