



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Craig W. Butler, Director

Ohio EPA JUN 26 '17  
Entered Directors Journal

JUNE 26, 2017

Mr. Nathan Taylor  
Republic Services Inc.  
2946 U.S. 68 North  
Bellefontaine, Ohio 43311

Re: Cherokee Run Landfill, Inc.  
Director's Authorization  
Approval  
Municipal Solid Waste Landfills  
Logan County  
MSWL018815

**Subject: Cherokee Run Landfill, Logan County  
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(2) Approval**

Dear Mr. Taylor:

On April 21, 2017, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Southwest District Office (SWDO) received a request, dated April 20, 2017, titled "Request for Director's Approval to Delete EDB and DBCP, OAC Rule 3745-27-10(D)(2)(b) Demonstration". The document was prepared in accordance with OAC Rule 3745-27-10(D)(2) by Civil & Environmental Consultants, Inc., on behalf of Republic Services Inc., and requested to remove 1,2-Dibromo-3-chloropropane (DBCP) and 1,2-Dibromoethane (EDB) from the list of Appendix I ground water monitoring parameters to be analyzed in monitoring wells at Cherokee Run Landfill, Inc. (Facility) located at 2946 U.S. 68 North, Ohio.

Pursuant to OAC Rule 3745-27-10(D)(2), the owner or operator of a sanitary landfill facility may propose in writing to delete any of the Appendix I parameters monitored to meet the requirements of paragraphs (D)(5) to (D)(7) of OAC Rule 3745-27-10. The Director of Environmental Protection may approve an alternative list of monitoring parameters if the removed parameters are not reasonably expected to be in or derived from the waste contained or deposited in the sanitary landfill facility. Upon approval, the owner or operator may use the alternative list.

I have reviewed the applicable information and approve the alternative list removing DBCP and EDB from further ground water detection monitoring at the Facility. The Facility shall continue monitoring all wells in the monitoring system for the remaining parameters listed in Appendix I in accordance with OAC Rule 3745-27-10, unless otherwise authorized by Ohio EPA.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission

within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
30 East Broad Street, 4<sup>th</sup> Floor  
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Jill Olberding of Ohio EPA, SWDO at (937) 285-6094.

Sincerely,



Bonnie Buthker  
Chief, Southwest District Office  
for Craig W. Butler  
Director, Ohio EPA

ec: Michelle Ackenhausen, DMWM, SWDO  
Scott Hester, DMWM, CO  
John McGinnis, DDAGW, SWDO  
Craig Kauffman, Logan County Health District  
Nathan Taylor, Republic Services