



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

JULY 20, 2017

Defiance County Commissioners
500 Court Street, Suite A
Defiance, Ohio 43512

Re: Defiance County Sanitary Landfill
Director's Authorization
Approval
Municipal Solid Waste Landfills
Defiance County
MSWL018764

Ohio EPA JUL 20 '17
Entered Directors Journal

**Subject: Defiance County Landfill, Defiance County
Ohio Administrative Code (OAC) Rule 3745-27-10(E)(4) Approval**

Dear Commissioners:

On June 30, 2017, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Northwest District Office (NWDO) received a request, dated June 28, 2017, titled *Defiance County Landfill OAC 3745-27-10(E)(4)(g) Demonstration*. The document was submitted in accordance with OAC Rule 3745-27-10(E)(4) by Eagon & Associates, on behalf of the Defiance County Commissioners, and requested to remove 1,2-Dibromo-3-chloropropane (DBCP) and 1,2-Dibromoethane (EDB) from the list of Appendix II ground water monitoring parameters to be analyzed in monitoring wells at the Defiance County Landfill (Facility) located at 13207 Canal Road, Defiance, Ohio.

Pursuant to OAC Rule 3745-27-10(E)(4), upon written request of the owner or operator, the director may delete any of the monitoring parameters contained in Appendix II of OAC Rule 3745-27-10 for a sanitary landfill facility if the owner or operator can show that the deleted constituents are not reasonably expected to be in or derived from the waste contained in the sanitary landfill.


I have reviewed the applicable information and approve deletion of DBCP and EDB from further assessment ground water monitoring at the Facility. The Facility shall continue monitoring all wells in the monitoring system for the remaining parameters listed in Appendix II in accordance with OAC Rule 3745-27-10, unless otherwise authorized by Ohio EPA.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
30 East Broad Street, 4th Floor
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Curtis DeLong of Ohio EPA-NWDO at (419) 373-3033.

Sincerely,



Shannon Nabors
Chief, Northwest District Office
for Craig W. Butler
Director, Ohio EPA

/wla

ec: Mike Reiser, DMWM-NWDO
Scott Hester, DMWM-CO
Ken Brock, DDAGW-NWDO

id #5-16601