



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

SEPTEMBER 8, 2017

Mr. Allen Bradburn
Republic Services, Inc.
5092 Aber Road
Williamsburg, OH 45176

**Re: BFI Glenwillow
Director's Authorization
Approval
Municipal Solid Waste Landfills
Cuyahoga County
MSWL019366**

Ohio EPA SEP 8 '17
Entered Directors Journal

**Subject: BFI Glenwillow, Cuyahoga County
Ohio Administrative Code (OAC) Rule 3745-27-10(E)(4) Approval**

Dear Mr. Bradburn:

On August 24, 2017, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Northeast District Office (NEDO) received a request, dated August 24, 2017, titled "Glenwillow Landfill – Resubmission of Request to Delete EDB and DBCP from Groundwater Monitoring Program". The document was submitted in accordance with OAC Rule 3745-27-10(E)(4) by ERM, on behalf of BFI Glenwillow Landfill, and requested to remove 1,2-dibromo-3-chloropropane (DBCP) and 1,2-dibromoethane (EDB) from the list of Appendix II ground water monitoring parameters to be analyzed in monitoring wells at BFI Glenwillow (Facility) located at 30300 Pettibone Rd., Glenwillow, Ohio.

Pursuant to OAC Rule 3745-27-10(E)(4), upon written request of the owner or operator, the director may delete any of the monitoring parameters contained in Appendix II of OAC Rule 3745-27-10 for a sanitary landfill facility if the owner or operator can show that the deleted constituents are not reasonably expected to be in or derived from the waste contained in the sanitary landfill.

I have reviewed the applicable information and approve deletion of DBCP and EDB from further assessment ground water monitoring at the Facility. The Facility shall continue monitoring all wells in the monitoring system for the remaining parameters listed in Appendix II in accordance with OAC Rule 3745-27-10, unless otherwise authorized by Ohio EPA.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the

Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
30 East Broad Street, 4th Floor
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Josh Adams of Ohio EPA, NEDO at (330) 963-1103.

Sincerely,



Kurt M. Princic
Chief, Northeast District Office
for Craig W. Butler
Director, Ohio EPA

KMP:KN/nvr

ec: Jarnal Singh, DMWM, NEDO, jarnal.singh@epa.ohio.gov
Mark Caetta, DDAGW, NEDO, mark.caetta@epa.ohio.gov
Karen Naples, DMWM, NEDO, karen.naples@epa.ohio.gov
Scott Hester, DMWM, CO, scott.hester@epa.ohio.gov
Dane Tussel, Cuyahoga County District Board of Health, dtussel@ccbh.net