



**John R. Kasich**, Governor  
**Mary Taylor**, Lt. Governor  
**Craig W. Butler**, Director

SEPTEMBER 13, 2017

Matt Reardon  
SWACO  
Solid Waste Authority of Central Ohio  
4329 London-Groveport Road  
Grove City, OH 43123

**Re: Franklin County Sanitary Landfill  
Director's Authorization  
Approval  
Municipal Solid Waste Landfills  
Franklin County  
MSWL018803**

**Subject: Franklin County Sanitary Landfill, Franklin County  
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(2) Approval**

Ohio EPA SEP 13 '17  
Entered Directors Journal

Dear Matt Reardon:

On July 12, 2017, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Central District Office (CDO) received a request, dated July 12, 2017, titled "OAC 3745-27-10(D)(2)(b)". The document was submitted in accordance with OAC Rule 3745-27-10(D)(2) by Eagon and Associates, Inc., on behalf of the Solid Waste Authority of Central Ohio, and requested to remove 1,2-dibromo-3-chloropropane (DBCP) and 1,2-dibromoethane (EDB) from the list of Appendix I ground water monitoring parameters to be analyzed in monitoring wells at the Franklin County Sanitary Landfill (Facility) located at 4329 London-Groveport Road, Grove City, Ohio.

Pursuant to OAC Rule 3745-27-10(D)(2), the owner or operator of a sanitary landfill facility may propose in writing to delete any of the Appendix I parameters monitored to meet the requirements of paragraphs (D)(5) to (D)(7) of OAC Rule 3745-27-10. The Director of Environmental Protection may approve an alternative list of monitoring parameters if the removed parameters are not reasonably expected to be in or derived from the waste contained or deposited in the sanitary landfill facility. Upon approval, the owner or operator may use the alternative list.

I have reviewed the applicable information and approve deletion of DBCP and EDB from further assessment ground water monitoring at the Facility. The Facility shall continue monitoring all wells in the monitoring system for the remaining parameters listed in Appendix I in accordance with OAC Rule 3745-27-10, unless otherwise authorized by Ohio EPA.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
30 East Broad Street, 4<sup>th</sup> Floor  
Columbus, Ohio 43215

Matt Reardon  
SWACO  
Page 2

If you have any questions concerning this letter, please contact Allan Hurtt of Ohio EPA, CDO at (614) 728-3889.

Sincerely,

 ASST DIST CHIEF for

Issac A. Robinson, III  
Chief, Central District Office  
for Craig W. Butler  
Director, Ohio EPA

e: Connie Livchak, DMWM, CDO  
Scott Hester, DMWM, CO  
Jeff Grose, Franklin County Public Health  
Sarah Byerly, DDAGW, CDO