



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Craig W. Butler, Director

SEPTEMBER 19, 2017

Mr. Allen Bradburn  
Republic Services  
5092 Aber Rd.  
Williamsburg, OH 45176

**Re: BFI CLD Landfill LFG Power Station  
Director's Authorization  
Approval  
Municipal Solid Waste Landfills  
Mahoning County  
MSWL019386**

Ohio EPA SEP 19 '17  
Entered Directors Journal

**Subject: BFI CLD Landfill LFG Power Station, Mahoning County  
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(2) and  
3745-27-10(E)(4) Approval**

Dear Mr. Bradburn:

On June 19, 2017, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Northeast District Office (NEDO) received the request, dated June 16, 2017, titled *Request for Director's approval to Delete EDB and DBCP: From Detection, Assessment, and Corrective Measures Monitoring Program, OAC 3745-27-20(D)(2)(b) and (E)(4)(g) Demonstration Exemption Request to Delete from Corrective Measures Monitoring, County Land Development (CLD) Landfill, Mahoning County, Ohio*. The document was submitted in accordance with Ohio Administrative Code (OAC) Rule 3745-27-10(D)(2) and (E)(4) by Eagon & Associates (Eagon), on behalf of BFI-CLD Landfill LFG Power Station, and requested to remove 1,2-dibromo-3-chloropropane (DBCP) and 1,2-dibromoethane (EDB) from the list of Appendix I and Appendix II ground water monitoring parameters to be analyzed in monitoring wells at BFI-CLD Landfill LFG Power Station (Facility), located on W. South Range Road in Salem, Mahoning County, Ohio.

Pursuant to OAC Rule 3745-27-10(D)(2), the owner or operator of a sanitary landfill facility may propose in writing to delete any of the Appendix I parameters monitored to meet the requirements of paragraphs (D)(5) to (D)(7) of OAC Rule 3745-27-10. The Director of Environmental Protection may approve an alternative list of monitoring parameters if the removed parameters are not reasonably expected to be in or derived from the waste contained or deposited in the sanitary landfill facility. Upon approval, the owner or operator may use the alternative list.

Pursuant to OAC Rule 3745-27-10(E)(4), upon written request of the owner or operator, the director may delete any of the monitoring parameters contained in Appendix II of OAC Rule 3745-27-10 for a sanitary landfill facility if the owner or operator can show that the deleted constituents are not reasonably expected to be in or derived from the waste contained in the sanitary landfill facility.

The exemption request per OAC 3745-27-03(B) to remove DBCP and EDB from the corrective measures monitoring parameter list will be addressed in a separate authorization.

I have reviewed the applicable information and approve removing DBCP and EDB from further detection and assessment ground water monitoring at the Facility. The Facility shall continue monitoring all wells in the monitoring system for the remaining parameters listed in Appendix I and Appendix II in accordance with OAC Rule 3745-27-10, unless otherwise authorized by Ohio EPA.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
30 East Broad Street, 4<sup>th</sup> Floor  
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Clarissa Gereby of Ohio EPA, NEDO at (330) 963-1224.

Sincerely,



Kurt M. Princic  
Chief, Northeast District Office  
for Craig W. Butler  
Director, Ohio EPA

KMP:CG:cla

ec: Lynn Sowers, Ohio EPA, NEDO, DMWM, [Lynn.Sowers@epa.ohio.gov](mailto:Lynn.Sowers@epa.ohio.gov)  
Rich Kurlich, Ohio EPA, NEDO, DDAGW, [Rich.Kurlich@epa.ohio.gov](mailto:Rich.Kurlich@epa.ohio.gov)  
Scott Hester, Ohio EPA, Central Office, DMWM, [Scott.Hester@epa.ohio.gov](mailto:Scott.Hester@epa.ohio.gov)  
Dave Fetchko, Mahoning County Health Dept., [dfetchko@mahoninghealth.org](mailto:dfetchko@mahoninghealth.org)