

March 28, 2017

Josh Bewley, Environmental Specialist
Ohio Environmental Protection Agency
Division of Drinking and Ground Waters
Northeast District Office
2110 East Aurora Road
Twinsburg, OH 44087

RECEIVED
MAR 29 2017
BY:

Subject: Oak Knoll Estates - PWS OH7703212


Dear Mr. Bewley,

Oak Knoll Estates is a group of 24 homes where each home has a copper service line connected to the PVC distribution piping. There is no lead piping in the system.

The homes were originally built before 1980, although many have had extensive updating of plumbing and fixtures.

Because it is practically impossible to determine the lead content of an installed fixture, fitting or pipe, it should be assumed that the manufacture or installation date is the primary indicator of the lead content. Therefore, since the plumbing material or solder manufactured before 1998 may have materials with greater than 8% lead, there is the possibility that some plumbing and fixtures may be contributing lead to the drinking water. In addition, buildings built and plumbing materials manufactured after 2014 were required to have less than 0.25% lead by weight and have the lowest risk for contributing lead to the drinking water. It should be noted however that, although prohibited, some use of leaded solder or leaded components may have occurred after the prohibitions became effective.

Sincerely,



Jack Woodyard

Oak Knoll Estates

**VERIFICATION FORM FOR COMMUNITY PUBLIC WATER SYSTEMS
CLAIMING NO LEAD SERVICE LINES**

The owner or operator of all community public water systems must identify and map areas of their distribution system that are known or are likely to contain lead service lines. Systems must submit a copy of the applicable map to the Ohio Department of Health and the Ohio Department of Job and Family Services. Systems must also submit a report to the director containing at least both of the following: (1) The applicable map with narrative, and (2) A list of sampling locations used to collect samples as required by Ohio Revised Code (ORC) Section 6109.121 and any rules adopted thereunder, including contact information for the owner and occupant of each sampling site.

Should a water system determine no lead service lines exist in their distribution system, they must provide information stating they reviewed, at the minimum, historical permit records and local ordinances, distribution maintenance records and information pertaining to installation dates or materials for all services lines. This information must be verified below.

I HEREBY CERTIFY THAT THE FOLLOWING METHOD(S) WERE USED TO DETERMINE NO LEAD SERVICE LINES EXIST IN THIS WATER SYSTEM'S DISTRIBUTION SYSTEM, AS REQUIRED BY ORC 6109.121(F):

LEAD SERVICE LINE VERIFICATION
<p>This PWS states they have no lead service lines and has reviewed the following information (select one or more of the following):</p> <ul style="list-style-type: none"> <input type="checkbox"/> Historical permit records and/or local ordinances <input type="checkbox"/> Distribution maintenance records (i.e. meter replacement, waterline break repairs) <input type="checkbox"/> Information pertaining to installation dates for all service lines (i.e. after 1986 when lead services lines were banned) <input checked="" type="checkbox"/> Service line material of all service lines is known (i.e. all service lines are known to be PVC)

<i>Jack T. Woodyard</i>	<i>3/3/2017</i>	PWS NAME: <i>Oak Knoll Estates</i>
Signature of Responsible Person	Date	PWS ID: <i>OH 7703212</i>
<i>Jack T. Woodyard, Vice Pres</i>		COUNTY: <i>Summit</i>
Printed Name and Title of Responsible Person		
<i>Oak Knoll Association</i>		

<p>For Ohio EPA use only:</p> <p>Date Verification Rec'd: _____</p>



This is a preliminary plan prepared for the purpose of showing the location of the proposed service lines and sampling locations. It is not intended to be used for construction purposes. The Engineer is not responsible for the accuracy of the information shown hereon.

Curve	DATA				(Centerline)			
	Grade	Vertical Angle	Radius	Length	Delta	Delta Chords	Grade Stationing	Curve Stationing
1	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27
2	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27
3	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27
4	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27
5	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27
6	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27
7	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27
8	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27
9	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27
10	1.00	11° 50'	300.00	123.05	182.18	119.27	N. 1° 51' 30" E.	119.27

Legend

- SERVICE LINE
- SAMPLING LOCATION

Scale 1" = 100'

J.D. Hebb