



Mike DeWine, Governor
Jon Husted, Lt. Governor
Laurie A. Stevenson, Director

June 3, 2021

Mr. Greg Foxhoven
City of Saint Marys
101 East Spring Street
Saint Marys, Ohio 45885

Re: Saint Marys Landfill
Director's Authorization
Approval
Municipal Solid Waste Landfills
Auglaize County
MSWL019360

**Subject: Saint Marys Closed Landfill, Auglaize County
Revised Corrective Measures Plan - Approval**

Dear Mr. Foxhoven:

On December 29, 2020, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Northwest District Office (NWDO) received a revised document titled "*Corrective Measures Plan*" (dated December 2020 and cover letter dated December 24, 2020), which was submitted by Eagon & Associates, Inc. on behalf of the City of Saint Marys (Owner). A minor one-page revision was received March 11, 2021, which removed an incorrect name for the landfill on Page 1-1 in Appendix A of the plan. The plan was submitted in accordance with OAC Rule 3745-27-10(F) and proposes to continue ground water monitoring with further implementation of corrective measures of operation of the passive gas extraction system, maintenance of the landfill cap, leachate management, surface water and storm water management, and monitored natural attenuation for the Saint Marys Closed Landfill (Facility), located at 15500 Saint Marys River Road in Saint Marys, Ohio.

Based on the information contained in the Corrective Measures Plan (CMP) submitted pursuant to OAC Rule 3745-27-10(F), I have selected the corrective measures as described in the December 2020 CMP. The Owner shall implement corrective measures of operation of the passive gas extraction system, maintenance of the landfill cap, leachate management, surface water and storm water management, and monitored natural attenuation at the Facility.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The

Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
30 East Broad Street, 4th Floor
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact William (Pete) Sokoloski of Ohio EPA-NWDO at (419) 373-4100.

Sincerely,



Laurie A. Stevenson
Director, Ohio EPA

ec: Doug Metz, City of Saint Marys
Shay Beanland, Eagon & Associates, Inc.
Jeremy Carroll, DMWM-CO
Kristin Tillison, DMWM-NWDO
Mike Reiser, DMWM-NWDO
Ken Brock, DMWM-NWDO

5-19078
5-19107